

Suggested List Price Standard Equipment and Accessories

Effective: January 2, 2019
Revised: June 15, 2019



TABLE OF CONTENTS

Cube Ice Machines 3-9
 Standard Remotes 10
 QuietQube® Remotes & Ice Beverage 11-12
 Specialty 13
 Flake Ice Machines 14-15
 Nugget Ice Machines 16-17
 Dispensers 18
 Ice Storage Bins 19
 International Only 20-21
 Bin Adapters & Deflector Kits 22-23
 Accessories 24-26

NOTATIONS

Shipping weights are approximate.

TERMS

Terms

Terms are as Company may extend to purchaser.


Terms for Parts

C.O.D. (Deviation on authorization of Credit Department only.)

Prices

Prices are Ex-works Covington Tennessee. All prices and specifications are subject to change without notice.

DIMENSION DRAWINGS



Height includes legs set at 6"/15.2 cm.
 Legs adjust from 6"/15.2cm to 7.5"/19.1 cm

COMMERCIAL WARRANTY

Warranty - Cube Ice Machine

- 5-year parts-and-labor coverage on Indigo, S, U, QQ and IB-model ice machine evaporators.
- 5-year parts and 3-year labor coverage on Indigo, S, U, QQ and IB-model ice machine compressor.
- 3-year parts-and-labor coverage on all dispensers, storage bins, and Indigo, S, U, QQ and IB-model ice cube machines.

Warranty - UE Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - SM Series Ice Machine

- 3-year parts-and-labor coverage on all components.

Warranty - RF/RFF, RNS/RNF Ice Machines

- 3-year parts.
- 3-year labor.
- Compressor parts for 5 years and labor for 3 years.

Warranty - Countertop Nugget Dispenser Ice Machines (RNS12/20 and CNF201/202)

- 2-year parts-and-labor coverage on all components.
- Compressor parts for 5 years and labor for 2 years.

RESIDENTIAL WARRANTY

Warranty - All Ice Machines

- 1-year parts-and-labor


ICE STYLES





- Dice Cube.....7/8" x 7/8" x 7/8" / 2.22 x 2.22 x 2.22 cm 100% ice to water ratio.
- Half Dice Cube.....3/8" x 1-1/8" x 7/8" / 0.95 x 2.86 x 2.22 cm 100% ice to water ratio.
- Regular Cube1-1/8" x 1-1/8" x 7/8" / 2.86 x 2.86 x 2.22 cm 100% ice to water ratio.
- Gourmet Cube1-3/8" x 1-3/8" / 3.49 x 3.49 cm octagon shape cube (SM-50 model). 100% ice to water ratio.
- Nugget IceCountertop, Under-counter and Modular Ice Makers 3/8" to 1/2" / 0.76 x 0.76 x 1.27 cm pieces. 85% ice to water ratio.
- Flake IceFlake ice is smaller bits of ice. 73% ice to water ratio.

ICE STORAGE CAPACITY

The calculation used to determine actual ice storage capacity varies among manufacturers, most use the AHRI standard. When the AHRI standard is not referenced, use cubic meters capacity for accurate comparison between manufacturer's models.

HOW TO READ THE NEW MODEL NUMBERS



	Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model	
SM-50	 W 14.75" D 22.75" H 33.5" W 37.5 D 57.8 H 85.1 cm *53lbs/24 kg daily at 70/50°F *44lbs/20 kg daily at 90/70°F	SM50A-161	gourmet	air	115v/60Hz/1	114 lbs / 52 kg	\$3,976	N/A
		Ice storage capacity 25 lbs/11.3 kg Includes AR-2800 water filter. Drain pump available as accessory (K00376). Includes 6' / 1.8m power cord with NEMA 5-15P plug. Not compatible with iAuCS®. IMPORTANT NOTE: Use only Metal Safe Cleaner 000000084 on this product. Other cleaners will damage the evaporator and will not be covered under warranty.						
UE65 / UE80	 W 19.69" D 22.34" H 36" W 50.0 D 56.7 H 91.4 cm UE-65: *57 lbs/26 kg daily at 70/50°F *46 lbs/21 kg daily at 90/70°F UE-80: *102 lbs/46 kg daily at 70/50°F *71 lbs/32 kg daily at 90/70°F	UDE0065A-161B	dice	air	115v/60Hz/1	109 lbs / 49 kg	\$3,862	QM30A-161
		UDE0080A-161B	dice	air	115v/60Hz/1	114 lbs / 52 kg	\$4,700	QM45A-161
		UDE0065A-251Z	dice	air	230v/50/Hz/1	109 lbs / 49 kg	\$3,922	QM30A-251
		UDE0080A-251Z	dice	air	230v/50Hz/1	114 lbs / 52 kg	\$4,760	QM45A-251
Ice storage capacity 30lbs/14 kg. Storage capacity is AHRI certified. Includes 6'/1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS or LuminIce II.								
UF140 / UF190	 W 26" D 28.5" H 38.5" W 66 D 72.4 H 97.8 cm UF-140: *137lbs/62 kg daily at 70/50°F *100lbs/45 kg daily at 90/70°F UF-190: *198lbs/90 kg daily at 70/50°F *140lbs/64 kg daily at 90/70°F	URF0140A-161B	Regular	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,507	UR0140A-161B
		UDF0140A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,307	UD0140A-161B
		UYF0140A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,307	UY0140A-161B
		UDF0190A-161B	Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,572	UD0190A-161B
		UYF0190A-161B	1/2 Dice	Air	115v/60Hz/1	153 lbs / 69 kg	\$4,572	UY0190A-161B
		UDF0140A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$4,367	UD0140A-251Z
		UYF0140A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$4,367	UY0140A-251Z
		UDF0190A-251Z	Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$4,632	UD0190A-251Z
		UYF0190A-251Z	1/2 Dice	Air	230v/50hz/1	153 lbs / 69 kg	\$4,632	UY0190A-251Z
Application storage capacity 90 lbs/ 40 kg. Includes 6 ft/1.8 m power cord with NEMA 5-15P plug ("B" Plug). Cubic Volume 3.037. Storage capacity is AHRI certified. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. Luminice® II compatible as accessory. Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.								
UF240	 W 26" D 28.5" H 38.5" W 66 D 72.4 H 97.8 cm *219lbs/99 kg daily at 70/50°F *160lbs/73 kg daily at 90/70°F	UDF0240A-161B	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$5,029	UD0240A-161B
		UDF0240A-261Z	Dice	Air	208-230v/60hz/1	157 lbs / 72kg	\$5,104	UD0240A-261Z
		UDF0240W-161B	Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$5,280	UD0240W-161B
		UYF0240A-161B	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$5,029	UY0240A-161B
		UYF0240A-261Z	1/2 Dice	Air	208-230v/60hz/1	159 lbs / 72 kg	\$5,104	UY0240A-261Z
		UYF0240W-161B	1/2 Dice	Water	115v/60Hz/1	159 lbs / 72 kg	\$5,280	UY0240W-161B
		UDF0240A-251Z	Dice	Air	230v/50hz/1	157 lbs / 72kg	\$5,089	UD0240A-251Z
		UYF0240A-251Z	1/2 Dice	Air	230v/50hz/1	159 lbs / 72 kg	\$5,089	UY0240A-251Z
UYF0240W-251Z	1/2 Dice	Water	230v/50hz/1	159 lbs / 72 kg	\$5,340	UY0240W-251Z		
Application storage capacity 90 lbs/40 kg. Cubic Volume 3.037. Storage Capacity is AHRI certified. Includes 6 ft/1.8 m power cord with NEMA 5-15P plug ("B" Plug). Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. Luminice II compatible as accessory. Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.								


★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

UNDERCOUNTER CUBE

UF310



W 30" D 28.5" H 38.5"
W 76.2 D 72.4 H 97.8 cm


*290lbs/132 kg daily at 70/50°F
*235 lbs/107 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
URF0310A-161B	Regular	Air	115v/60Hz/1	208 lbs / 94 kg	\$6,349	UR0310A-161B
UDF0310A-161B	Dice	Air	115v/60Hz/1	208 lbs / 94 kg	\$6,149	UD0310A-161B
UDF0310A-261Z	Dice	Air	208-230v/60hz/1	208 lbs / 94 kg	\$6,224	UD0310A-261Z
UDF0310W-161B	Dice	Water	115v/60Hz/1	211 lbs / 96 kg	\$6,457	UD0310W-161B
UYF0310A-161B	1/2 Dice	Air	115v/60Hz/1	209 lbs / 95 kg	\$6,149	UY0310A-161B
UYF0310W-161B	1/2 Dice	Water	115v/60Hz/1	211 lbs / 96 kg	\$6,457	UY0310W-161B
URF0310A-251Z	Regular	Air	230v/50hz/1	208 lbs / 94 kg	\$6,409	UR0310A-251Z
UDF0310A-251Z	Dice	Air	230v/50hz/1	208 lbs / 94 kg	\$6,209	UD0310A-251Z
UYF0310A-251Z	1/2 Dice	Air	230v/50hz/1	209 lbs / 95 kg	\$6,209	UY0310A-251Z

Application ice storage capacity 119 lbs/54 kg. Cubic Volume 3.99. Storage Capacity is AHRI Certified. Includes 6"/1.8 m power cord with NEMA 5-15P plug ("B" Plug). Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS. LuminIce® II compatible as accessory. Application storage capacity measured 90% of total volume in cu. ft. x 33 lbs/ft3.

MODULAR CUBE

i-300 Series



W 30" D 24.5" H 16.50"
W 76.2 D 62.2 H 41.9 cm

*310lbs/141 kg daily at 70/50°F
*235 lbs/107 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
ID0302A-161	dice	air	115v/60Hz/1	142 lbs / 64 kg	\$5,457	n/a
ID0302A-161X	dice	air	115v/60Hz/1	147 lbs / 67 kg	\$6,115	n/a
ID0302A-261	dice	air	208-230v/60Hz/1	142 lbs / 64 kg	\$5,532	n/a
ID0303W-161	dice	water	115v/60Hz/1	139 lbs / 63 kg	\$5,730	n/a
IY0304A-161	1/2 dice	air	115v/60Hz/1	147 lbs / 67 kg	\$5,457	n/a
IY0304A-161X	1/2 dice	air	115v/60Hz/1	152 lbs / 69 kg	\$6,115	n/a
IY0304A-261	1/2 dice	air	208-230v/60Hz/1	147 lbs / 67 kg	\$5,532	n/a
IY0305W-161	1/2 dice	water	115v/60Hz/1	144 lbs / 65 kg	\$5,730	n/a
IY0305W-161X	1/2 dice	water	115v/60Hz/1	149 lbs / 68 kg	\$6,388	n/a
IDF0300A-251	dice	air	230v/50/Hz/1	142 lbs / 64 kg	\$5,517	ID0302A-251
IYF0300A-251	1/2 dice	air	230v/50/Hz/1	147 lbs / 67 kg	\$5,517	IY0304A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.




Recommended Bins: D400 (see page 19).
See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Not Stackable

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

MODULAR CUBE

i-300 Series



W 30" D 24.5" H 16.50"
W 76.2 D 62.2 H 41.9 cm

*325lbs/240 kg daily at 70/50°F
*240 lbs/180 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDF0300A-161	dice	air	115v/60Hz/1	142 lbs/ 64kg	\$5,457	ID0302A-161
IDF0300A-161X	dice	air	115v/60Hz/1	147 lbs/ 67kg	\$6,115	ID0302A-161X
IDF0300A-261	dice	air	208-230/60Hz/1	142 lbs/ 64kg	\$5,532	ID0302A-261
IDF0300W-161	dice	water	115v/60Hz/1	139 lbs/ 63kg	\$5,730	ID0303W-161
IYF0300A-161	1/2 dice	air	115v/60Hz/1	147 lbs/ 67kg	\$5,457	IY0304A-161
IYF0300A-161X	1/2 dice	air	115v/60Hz/1	152 lbs/ 69kg	\$6,115	IY0304A-161X
IYF0300A-261	1/2 dice	air	208-230/60Hz/1	147 lbs/ 67kg	\$5,532	IY0304A-261
IYF0300W-161	1/2 dice	water	115v/60Hz/1	144 lbs/ 65kg	\$5,730	IY0305W-161
IYF0300W-161X	1/3 dice	water	115v/60Hz/1	149 lbs/ 68kg	\$6,388	IY0305W-161X
IDF0300A-251	dice	air	230v/50Hz/1	142 lbs/ 64kg	\$5,517	N.A
IYF0300A-251	1/2 dice	air	230/50Hz/1	147 lbs/ 67kg	\$5,517	N.A

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.



Recommended Bins: D400 (see page 19).
See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Not Stackable


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.


*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

iT0420 Series



W 22" D 24.5" H 21.5"
W 55.9 D 62.2 H 54.6 cm

*460 lbs/209 kg daily at 70/5° F
*375 lbs/170 kg daily at 90/70° F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT0420A-161	Dice	Air	115v/60Hz/1	137 lbs / 62 kg	\$6,143★	ID0322A-161
IDT0420A-161X	Dice	Air	115v/60Hz/1	142 lbs / 64 kg	\$6,801	ID0322A-161X
IDT0420A-261	Dice	Air	208-230v/60hz/1	137 lbs / 62 kg	\$6,218★	ID0322A-261
IDT0420W-161	Dice	Water	115v/60Hz/1	131 lbs / 59 kg	\$6,450	ID0323W-161
IYT0420A-161	1/2 Dice	Air	115v/60Hz/1	136 lbs / 62 kg	\$6,143★	IY0324A-161
IYT0420A-161X	1/2 Dice	Air	115v/60Hz/1	141 lbs / 64 kg	\$6,801	IY0324A-161X
IYT0420W-161	1/2 Dice	Water	115v/60Hz/1	135 lbs / 61 kg	\$6,450	IY0325W-161
IYT0420W-261	1/2 Dice	Water	208-230v/60hz/1	135 lbs / 61 kg	\$6,525	IY0325W-261
IDT0420A-251	Dice	Air	230v/50hz/1	137 lbs / 62 kg	\$6,203	ID0322A-251
IYT0420A-251	1/2 Dice	Air	230v/50hz/1	136 lbs / 62 kg	\$6,203	IY0324A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


Recommended Bins: D320 or D420 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

MODULAR CUBE

iT0450 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*490 lbs/222 kgs daily at 70/50° F
*378lbs/171 kg daily at 90/70° F



Not Stackable

IDT0450A-161	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	\$6,412★	ID0452A-161
IDT0450A-161X	Dice	Air	115v/60Hz/1	165 lbs /75 kg	\$7,070	ID0452A-161X
IDT0450A-261	Dice	Air	208-230v/60hz/1	160 lbs / 73 kg	\$6,487 ★	ID0452A-261
IDT0450W-161	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	\$6,732	ID0453W-161
IDT0450W-161X	Dice	Water	115v/60Hz/1	146 lbs / 66 kg	\$7,390	ID0453W-161X
IDT0450W-261	Dice	Water	208-230v/60hz/1	141 lbs / 64 kg	\$6,807	ID0453W-261
IYT0450A-161	1/2 Dice	Air	115v/60Hz/1	170 lbs / 77 kg	\$6,412 ★	IY0454A-161
IYT0450A-161X	1/2 Dice	Air	115v/60Hz/1	175 lbs / 79 kg	\$7,070	IY0454A-161X
IYT0450A-261	1/2 Dice	Air	208-230v/60hz/1	170 lbs / 77 kg	\$6,487 ★	IY0454A-261
IYT0450W-161	1/2 Dice	Water	115v/60Hz/1	155 lbs / 70 kg	\$6,732	IY0455W-161
IYT0450W-161X	1/2 Dice	Water	115v/60Hz/1	160 lbs / 73 kg	\$7,390	IY0455W-161X
IDT0450A-251	Dice	Air	230v/50hz/1	160 lbs / 73 kg	\$6,472	ID0452A-251
IDT0450W-251	Dice	Water	230v/50hz/1	141 lbs / 64 kg	\$6,792	ID0453W-251
IYT0450A-251	1/2 Dice	Air	230v/50hz/1	170 lbs / 77 kg	\$6,472	IY0454A-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D400 or D570 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

iT0500 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*550 lbs/249 kg daily at 70/50° F
*440 lbs/200 kg daily at 90/70° F



Not Stackable

IRT0500A-161	Regular	Air	115v/60Hz/1	162 lbs / 73 kg	\$6,905★	IR0500A-161
IRT0500A-261	Regular	Air	208-230v/60hz/1	162 lbs / 73 kg	\$6,980★	IR0500A-261
IRT0500W-161	Regular	Water	115v/60Hz/1	158 lbs / 72 kg	\$7,238	IR0501W-161
IDT0500A-161	Dice	Air	115v/60Hz/1	157 lbs / 72kg	\$6,655★	ID0502A-161
IDT0500A-161X	Dice	Air	115v/60Hz/1	162 lbs / 73 kg	\$7,313	ID0502A-161X
IDT0500A-261	Dice	Air	208-230v/60hz/1	157 lbs / 72kg	\$6,730★	ID0502A-261
IDT0500W-161	Dice	Water	115v/60Hz/1	163 lbs / 74 kg	\$6,988	ID0503W-161
IDF0500N-161A	Dice	Remote	115v/60Hz/1	164 lbs / 74 kg	\$6,501	IDT0500N-161
IDF0500N-161XA	Dice	Remote	115v/60Hz/1	169 lbs /77 kg	\$7,159	IDT0500N-161X
IYT0500A-161	1/2 Dice	Air	115v/60Hz/1	159 lbs / 72 kg	\$6,655★	IY0504A-161
IYT0500A-161X	1/2 Dice	Air	115v/60Hz/1	164 lbs / 74 kg	\$7,313	IY0504A-161X
IYT0500A-261	1/2 Dice	Air	208-230v/60hz/1	159 lbs / 72 kg	\$6,730★	IY0504A-261
IYT0500W-161	1/2 Dice	Water	115v/60Hz/1	161 lbs / 73 kg	\$6,988	IY0505W-161
IYF0500N-161A	1/2 Dice	Remote	115v/60Hz/1	161 lbs / 73 kg	\$6,501★	IYT0500N-161
IYF0500N-161X A	1/2 Dice	Remote	115v/60Hz/1	166 lbs / 75 kg	\$7,159	IYT0500N-161X
IRT0500A-251	Regular	Air	230v/50hz/1	162 lbs / 73 kg	\$6,965	IR0500A-251
IDT0500A-251	Dice	Air	230v/50hz/1	157 lbs / 72kg	\$6,715	ID0502A-251
IYT0500A-251	1/2 Dice	Air	230v/50hz/1	159 lbs / 72 kg	\$6,715	IY0504A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


Recommended Bins: D400, D570 or F700 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0500 remote condenser and RT() R404A tubing kit (see page 10).


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

iT0620 Series



W 22" D 24.5" H 21.5"
W 55.9 D 62.2 H 54.6 cm

*575 lbs/262 kg daily at 70/50 °F
*465 lbs / 211 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IRT0620A-161	Regular	Air	115v/60Hz/1	143 lbs / 65 kg	\$6,749★	IR0520A-161
IDT0620A-161	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	\$6,499★	ID0522A-161
IDT0620A-161X	Dice	Air	115v/60Hz/1	148 lbs / 67 kg	\$7,157	ID0522A-161X
IDT0620A-261	Dice	Air	208-230v/60Hz/1	143 lbs / 65 kg	\$6,574★	ID0522A-261
IDT0620W-161	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$6,824	ID0523W-161
IYT0620A-161	1/2 Dice	Air	115v/60Hz/1	145 lbs / 66 kg	\$6,499★	IY0524A-161
IYT0620A-161X	1/2 Dice	Air	115v/60Hz/1	150 lbs / 68 kg	\$7,157	IY0524A-161X
IYT0620A-261	1/2 Dice	Air	208-230v/60Hz/1	145 lbs / 66 kg	\$6,574★	IY0524A-261
IYT0620W-161	1/2 Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$6,824	IY0525W-161
IYT0620W-261	1/2 Dice	Water	208-230v/60Hz/1	140 lbs / 63 kg	\$6,899	IY0525W-261
IRT0620A-251	Regular	Air	230v/50Hz/1	143 lbs / 65 kg	\$6,809	IR0520A-251
IRT0620W-251	Regular	Water	230v/50Hz/1	140 lbs / 63 kg	\$7,147	IR0521W-251
IDT0620A-251	Dice	Air	230v/50Hz/1	143 lbs / 65 kg	\$6,559	ID0522A-251
IDT0620W-251	Dice	Water	230v/50Hz/1	140 lbs / 63 kg	\$6,884	ID0523W-251
IYT0620A-251	1/2 Dice	Air	230v/50Hz/1	145 lbs / 66 kg	\$6,559	IY0524A-251
IYT0620W-251	1/2 Dice	Water	230v/50Hz/1	140 lbs / 63 kg	\$6,959	IY0525W-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D320 or D420 (see page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

IDF0600N-261A	dice	remote	208-230v/60Hz/1	214 lbs / 97 kg	\$7,683	IDF0600N-261
IYF0600N-261A	1/2 dice	remote	208-230v/60Hz/1	221 lbs / 100 kg	\$7,683	IYF0600N-261
IYF0600N-261AX	1/2 dice	remote	208-230v/60Hz/1	226 lbs / 103 kg	\$8,341	IYF0600N-261X
IYF0600N-251A	1/2 dice	remote	230v/50/Hz/1	221 lbs / 100 kg	\$7,743	IYF0600N-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570 or F700 (see page 19).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT()R-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc


F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

iF0600 Series




W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*665 lbs/302 kg daily at 70/50°F
*580 lbs/263 kg daily at 90/70°F



Not Stackable

iT0750 Series



W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm

*750 lbs/340 kg daily at 70/50°F
*600 lbs/272 kg daily at 90/70°F

Not Stackable

IDT0750A-261	Dice	Air	208-230v/60Hz/1	194 lbs / 88 kg	\$7,991★	IDF0600A-261
IDT0750W-261	Dice	Water	208-230v/60Hz/1	194 lbs / 88 kg	\$8,391	IDF0600W-261
IYT0750A-261	1/2 Dice	Air	208-230v/60Hz/1	208 lbs / 94 kg	\$7,991★	IYF0600A-261
IYT0750A-261X	1/2 Dice	Air	208-230v/60Hz/1	213 lbs / 97 kg	\$8,649	IYF0600A-261X
IYT0750W-261	1/2 Dice	Water	208-230v/60Hz/1	195 lbs / 88 kg	\$8,391	IYF0600W-261
IDT0750A-251	Dice	Air	230v/50Hz/1	194 lbs / 88 kg	\$8,051	IDF0600A-251
IDT0750A-251X	Dice	Air	230v/50Hz/1	198 lbs / 90 kg	\$8,709	IDF0600A-251X
IYT0750A-251	1/2 Dice	Air	230v/50Hz/1	208 lbs / 94 kg	\$8,051	IYF0600A-251
IYT0750A-251X	1/2 Dice	Air	230v/50Hz/1	213 lbs / 97 kg	\$8,709	IYF0600A-251X
IYT0750W-251	1/2 Dice	Water	230v/50Hz/1	195 lbs / 88 kg	\$8,451	IYF0600W-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, D970 or F1350 (See page 19).


See pages 22-23 for required adapters, deflectors, and dispenser baffles.

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ ENERGY STAR® Qualified Model


Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.



W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm

*830 lbs/376 kg daily at 70/50°F
*740 lbs/336 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDF0900N-261A	dice	remote	208-230v/60Hz/1	221 lbs / 100 kg	\$9,531 ★	IDF0900N-261
IYF0900N-261A	1/2 dice	remote	208-230v/60Hz/1	218 lbs / 99 kg	\$9,531	IYF0900N-261
IYF0900N-263A	1/2 dice	remote	208-230v/60Hz/3	218 lbs / 99 kg	\$9,831	IYF0900N-263
IDF0900N-251A	dice	remote	230v/50/Hz/1	221 lbs / 100 kg	\$9,756	IDF0900N-251
IYF0900N-251A	1/2 dice	remote	230v/50/Hz/1	218 lbs / 99 kg	\$9,756	IYF0900N-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, D970 or F1350 (See page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.

¹Use JCF0900 remote condenser and RT(JR-404A tubing kit (see page 10).

Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.



W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm

*901 lbs/409 kg daily at 70/50°F
*710lbs/322 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IRT0900A-261	Regular	Air	208-230v/60hz/1	213 lbs / 97 kg	\$10,075 ★	IRF0900A-261
IRT0900W-261	Regular	Water	208-230v/60hz/1	232 lbs / 105 kg	\$10,564	IRF0900W-261
IDT0900A-261	Dice	Air	208-230v/60hz/1	214 lbs / 97 kg	\$9,775 ★	IDF0900A-261
IDT0900A-261X	Dice	Air	208-230v/60hz/1	219 lbs / 99 kg	\$10,433	IDF0900A-261X
IDT0900W-261	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$10,264	IDF0900W-261
IYT0900A-261	1/2 Dice	Air	208-230v/60hz/1	218 lbs / 99 kg	\$9,775 ★	IYF0900A-261
IYT0900A-261X	1/2 Dice	Air	208-230v/60hz/1	223 lbs / 101 kg	\$10,433	IYF0900A-261X
IYT0900W-261	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$10,264	IYF0900W-261
IRT0900A-251	Regular	Air	230v/50hz/1	213 lbs / 97 kg	\$10,300	IRF0900A-251
IRT0900W-251	Regular	Water	230v/50hz/1	212 lbs / 96 kg	\$10,789	IRF0900W-251
IDT0900A-251	Dice	Air	230v/50hz/1	214 lbs / 97 kg	\$10,000	IDF0900A-251
IYT0900A-251	1/2 Dice	Air	230v/50hz/1	218 lbs / 99 kg	\$10,000	IYF0900A-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, D970 or F1350 (See page 19).

See pages 22-23 for required adapters, deflectors, and dispenser baffles.


Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ **ENERGY STAR® Qualified Model**

Air filter standard on self-contained air-cooled ice cube machines.


*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

iT1200 Series



W 30" D 24.5" H 29.5"
W 76.2 D 62.2 H 74.9 cm

*1200 lbs/544 kg daily at 70/50°F
*870 lbs/395 kg daily at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT1200A-261	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	\$11,083	ID1106A-261
IDT1200W-261	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	\$11,637	ID1106W-261
IDT1200N-261A	Dice	Remote	208-230v/60hz/1	228 lbs / 103 kg	\$10,940	IDT1200N-261
IYT1200A-261	1/2 Dice	Air	208-230v/60hz/1	241 lbs / 109 kg	\$11,083	IY1106A-261
IYT1200A-261X	1/2 Dice	Air	208-230v/60hz/1	246 lbs / 112 kg	\$11,741	IY1106A-261X
IYT1200A-263	1/2 Dice	Air	208-230v/60hz/3	241 lbs / 109 kg	\$11,383	IY1106A3-263
IYT1200W-261	1/2 Dice	Water	208-230v/60hz/1	238 lbs / 108 kg	\$11,637	IY1106W-261
IYT1200W-263	1/2 Dice	Water	208-230v/60hz/3	238 lbs / 108 kg	\$11,937	IY1106W3-263
IYT1200N-261A	1/2 Dice	Remote	208-230v/60hz/1	236 lbs / 107 kg	\$10,940	IYT1200N-261
IYT1200N-263A	1/2 Dice	Remote	208-230v/60hz/3	236 lbs / 107 kg	\$11,240	IY1196N3-263
IDT1200A-251	Dice	Air	230v/50hz/1	232 lbs / 105 kg	\$11,308	ID1106A-251
IDT1200W-251	Dice	Water	230v/50hz/1	228 lbs / 103 kg	\$11,862	ID1106W-251
IDT1200N-251A	Dice	Remote	230v/50hz/1	228 lbs / 103 kg	\$11,165	IDT1200N-251
IYT1200A-251	1/2 Dice	Air	230v/50hz/1	241 lbs / 109 kg	\$11,308	IY1106A-251
IYT1200W-251	1/2 Dice	Water	230v/50hz/1	238 lbs / 108 kg	\$11,862	IY1106W-251
IYT1200N-251A	1/2 Dice	Remote	230v/50hz/1	236 lbs / 107 kg	\$11,165	IYT1200N-251


If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D570, F1300, F1325, F1650 or FC1350 (See page 19).

See pages 22-23 for required adapters, deflectors, and


dispenser baffles. ¹Use JCT1200 remote condenser and RT()R-410A tubing kit (see page 10). Kit K00347 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

iT1500 Series



W 48" D24.5" H29.5"
W 121.9 D 62.2 H 74.9 cm

*1800 lbs / 816 kg at 70/50°F
*1360 lbs / 617kg at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT1500A-261A	Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$13,087	IDT1500A-261
IDT1500A-263	Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$13,437	ID1406A3-263
IDT1500W-261A	Dice	Water	208-230v/60hz/1	298 lbs / 135 kg	\$13,742	IDT1500W-261
IDT1500W-263	Dice	Water	208-230v/60hz/3	298 lbs / 135 kg	\$14,092	ID1406W3-263
IDT1500N-261A	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	\$12,925★	IDT1500N-261
IYT1500A-261A	1/2 Dice	Air	208-230v/60hz/1	292 lbs / 132 kg	\$13,087	IYT1500A-261
IYT1500A-261AX	1/2 Dice	Air	208-230v/60hz/1	297 lbs / 135 kg	\$13,745	IYT1500A-261X
IYT1500A-263	1/2 Dice	Air	208-230v/60hz/3	292 lbs / 132 kg	\$13,437	IY1406A3-263
IYT1500W-261A	1/2 Dice	Water	208-230v/60hz/1	294 lbs / 133 kg	\$13,742	IYT1500W-261
IYT1500W-263	1/2 Dice	Water	208-230v/60hz/3	294 lbs / 133 kg	\$14,092	IY1406W3-263
IYT1500N-261A	1/2 Dice	Remote	208-230v/60hz/1	298 lbs / 135 kg	\$12,925★	IYT1500N-261
IYT1500N-261X	1/2 Dice	Remote	208-230v/60hz/1	303 lbs / 137 kg	\$13,583	IY1496N-261X
IYT1500N-263	1/2 Dice	Remote	208-230v/60hz/3	298 lbs / 135 kg	\$13,275★	IY1496N3-263
IDT1500A-251A	Dice	Air	230v/50hz/1	292 lbs / 132 kg	\$13,312	IDT1500A-251
IDT1500W-251A	Dice	Water	230v/50hz/1	292 lbs / 132 kg	\$13,967	IDT1500W-251
IDT1500N-251	Dice	Remote	230v/50hz/1	293 lbs / 133 kg	\$13,150	ID1496N-251
IYT1500A-251A	1/2 Dice	Air	230v/50hz/1	292 lbs / 132 kg	\$13,312	IYT1500A-251
IYT1500W-251A	1/2 Dice	Water	230v/50hz/1	294 lbs / 133 kg	\$13,967	IYT1500W-251
IYT1500N-251	1/2 Dice	Remote	230v/50hz/1	298 lbs / 135 kg	\$13,150	IY1496N-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.

Recommended Bins: D970, F1300, F1325, F1650, FC1350 (See page 19).

See pages 22-23 for required adapters and deflectors.


¹Use JCT1500 remote condenser and RL()R-410A tubing kit (see page 10). Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.

IT1900 Series



W 48" D 24.5" H 29.5"
W 121.9 D 62.2 H 74.9 cm

*1900 lbs/862 kg at 70/50°F
*1450 lbs / 658 kg at 90/70°F



Not Stackable

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IRT1900A-261	Regular	Air	208-230v/60hz/1	317 lbs / 144 kg	\$16,124	IR1800A-261
IRT1900A-263	Regular	Air	208-230v/60hz/3	317 lbs / 144 kg	\$16,474	IR1800A3-263
IRT1900N-261A	Regular	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$15,979★	IRT1900N-261
IRT1900N-263	Regular	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$16,329★	new
IRT1900N-263X	Regular	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$16,987	new
IDT1900A-261	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	\$15,824	ID1802A-261
IDT1900A-263	Dice	Air	208-230v/60hz/3	317 lbs / 144 kg	\$16,174	ID1802A3-263
IDT1900W-261A	Dice	Water	208-230v/60hz/1	319 lbs / 145 kg	\$16,615	IDT1900W-261
IDT1900W-263	Dice	Water	208-230v/60hz/3	319 lbs / 145 kg	\$16,965	ID1803W3-263
IDT1900N-261A	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$15,679★	IDT1900N-261
IDT1900N-263	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$16,029★	ID1892N3-263
IYT1900A-261	1/2 Dice	Air	208-230v/60hz/1	321 lbs / 146 kg	\$15,824	IY1804A-261
IYT1900A-263	1/2 Dice	Air	208-230v/60hz/3	321 lbs / 146 kg	\$16,174	IY1804A3-263
IYT1900W-261A	1/2 Dice	Water	208-230v/60hz/1	322 lbs / 146 kg	\$16,615	IYT1900W-261
IYT1900W-263	1/2 Dice	Water	208-230v/60hz/3	322 lbs / 146 kg	\$16,965	IY1805W3-263
IYT1900N-261A	1/2 Dice	Remote	208-230v/60hz/1	330 lbs / 150 kg	\$15,679★	IYT1900N-261
IYT1900N-261X	1/2 Dice	Remote	208-230v/60hz/1	335 lbs / 152 kg	\$16,337	IY1894N-261X
IYT1900N-263	1/2 Dice	Remote	208-230v/60hz/3	330 lbs / 150 kg	\$16,029★	IY1894N3-263
IYT1900N-263X	1/2 Dice	Remote	208-230v/60hz/3	335 lbs / 152 kg	\$16,687	IY1894N3-263X
IRT1900A-251	Regular	Air	230v/50hz/1	317 lbs / 144 kg	\$16,349	IRT1800A-251
IDT1900A-251	Dice	Air	230v/50hz/1	317 lbs / 144 kg	\$16,049	ID1802A-251
IDT1900N-251	Dice	Remote	230v/50hz/1	324 lbs / 147 kg	\$15,904	ID1892N-251
IYT1900A-251	1/2 Dice	Air	230v/50hz/1	321 lbs / 146 kg	\$16,049	IY1804A-251

MODULAR CUBE

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.


Recommended Bins: D970, F1300, F1325, F1650, FC1350 (See page 19).

See pages 22-23 for required adapters and deflectors.

¹Use JCT1500remote condenser and RL()R-410A tubing kit (see page 10). Kit K0034900 ice deflector must be ordered separately if used with: non-Manitowoc bins, Manitowoc F-Style bins.


Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

S-3000 Series



W 48" D 31" H 36"
W 121.9 D 78.7 H 91.4 cm

*3380 lbs/1533 kg daily at 70/50°F
*2784 lbs/1263 kg daily at 90/70°F



Not Stackable

Recommended Bins: F1300, F1325, F1650, FC1350 (See page 19). See pages 22-23 for required adapters and deflectors.

Not for use with iAuCS cleaning system or LuminIce II.

Kit K00391 ice deflector must be ordered separately if used with:

non-Manitowoc bins, Manitowoc 48"/121.9 cm & 60"/152.4 cm F-Style bins.

H = High pressure valve regulates from 20 psi to 350 psi or 137.9 kPa to 2413.2 kPa.


Model	Ice type	Cooling	Electrical	Shipping Weight	Base Model	Replaces Model
SDT3000W-263H	Dice	Water	208-230v/60hz/3	501 lbs / 227 kg	\$29,648	SD3303W3-263HP
SYT3000W-263H	1/2 Dice	Water	208-230v/60hz/3	516 lbs / 234 kg	\$29,648	SY3305W3-263HP

★ ENERGY STAR® Qualified Model

Air filter standard on self-contained air-cooled ice cube machines.

*Daily ice production based on Half-Dice air-cooled condenser model at air temperature/water temperature.


STANDARD REMOTE AIR-COOLED CONDENSER



Model	For use with Remote Ice Machine	Electrical	Shipping Weight	Suggested List Price	Replaces Model
JCF0500-161	iF0500N	115v/60hz/1	64 lbs / 29 kg	\$1,565	JC0495-161
JCT0500-161	iT500N	115v/60hz/1	64 lbs / 29 kg	\$1,565	N.A.
JCT0500-161Q	iT500N	115v/60hz/1	65 lbs / 29 kg	\$1,865	JC0495-161Q
JCF0900-261	iF0600N & iF900N	208-230v/60hz/1	78 lbs / 35 kg	\$2,081	JC 0895 and 0995-261
JCF0900-261Q	iF0600N & iF900N	208-230v/60hz/1	79 lbs / 36 kg	\$2,381	JC0995-261Q
JCT1200-261	iT1200N	208-230v/60hz/1	78 lbs / 35 kg	\$2,101	JC0995-261
JCT1500-261	iT1500N and iT1900N	208-230v/60hz/1	80 lbs / 36 kg	\$2,147	JC1395-261
JCT1500-261Q	iT1500N and iT1900N	208-230v/60hz/1	81 lbs / 37 kg	\$2,447	JC1395-261Q
JCF0900-251	iF0600N and iF900N	230v/50hz/1	78 lbs / 35 kg	\$2,306	JC0895 and 0995-251
JCT1200-251	iT1200N	230v/50hz/1	78 lbs / 35 kg	\$2,326	JC0995-251
JCT1500-251	iT1500N and iT1900N	230v/50hz/1	80 lbs / 36 kg	\$2,372	JC1395-251

NOTE: Models with Q suffix are available with coated coils that provide extra corrosion protection in salt spray environments. Coated Coil models require longer lead time, please contact the factory.

STANDARD REMOTE TUBING KITS & ACCESSORIES



Kit	For use with Series	Tubing Length	Shipping Weight	Suggested List Price
RT20R404	iF0500, iF600 and iF900 Precharged with quick connects	20ft / 6.1m	10 lbs / 5 kg	\$437
RT35R404	iF0500, iF600 and iF900 Precharged with quick connects	35 ft / 10.7m	15 lbs / 7 kg	\$538
RT50R404	iF0500, iF600 and iF900 Precharged with quick connects	50 ft / 15.2m	22 lbs / 10 kg	\$647
RT20R410A	iT500 and iT1200 Precharged with quick connects	20 ft / 6.1m	10 lbs / 5 kg	\$449
RT35R410A	iT500 and iT1200 Precharged with quick connects	35 ft / 10.7m	15 lbs / 7 kg	\$554
RT50R410A	iT500 and iT1200 Precharged with quick connects	50 ft / 15.2m	22 lbs / 10 kg	\$666
RL20R410A	iT1500 and iT1900 Precharged with quick connects	20 ft / 6.1m	10 lbs / 5 kg	\$449
RL35R410A	iT1500 and iT1900 Precharged with quick connects	35 ft / 10.7m	15 lbs / 7 kg	\$554
RL50R410A	iT1500 and iT1900 Precharged with quick connects	50 ft / 15.2m	22 lbs / 10 kg	\$666

ACCESSORY

K00129	Remote Coupling Kit needed for non-Manitowoc Tubing	2 lbs / 1 kg	\$152
---------------	---	--------------	--------------


NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an S or Indigo remote model requires a **NEW** condenser and line set. Use of a new multi-circuited condenser is approved when sized and installed as outlined in Manitowoc Product Information. Rack system applications are not approved.

TOP AIR DISCHARGE KIT


Kit	For use with Series	Shipping Weight	Suggested List Price
K00379	Indigo NXT iT0450, iT0500, iF0600	18 lbs / 9 kg	\$484
K00438	Indigo NXT iT0420 and iT0620 models	17 lbs / 8 kg	\$484
K00439	Indigo NXT iF0900	17 lbs / 8 kg	\$484
K00449	Indigo NXT iT1200	18 lbs / 9 kg	\$484
K00481B	Indigo NXT iT1500 and iT1900 models	29 lbs/ 13 kg	\$484

NOTE: Top air discharge kits are used when there is not sufficient clearance on the sides of an air cooled machine. These kits change the side panels and top panel so the air intake is from the back of the machine and the exhaust is re-routed out of the top of the machine rather than the sides.


**QuietQube®
Ice Machines**



iF0600C
W 30" D 24.5" H 21.5"
W 76.2 D 62.2 H 54.6 cm
iF0900C
W 30" D 24.5" H 26.5"
W 76.2 D 62.2 H 67.3 cm
iT1200C
W 30" D 24.5" W 29.5"
W 76.2 D 62.2 H 74.9 cm




iF1400C
W 30" D 24.5" H 25"
W 76.2 D 62.2 H 63.5 cm
iF1800C / iF2100C
W 30" D 24.5" H 29.5"
W 76.2 D 62.2 H 74.9 cm



SF3000C
W 48" D 31" H 36"
W 121.9 D 78.7 H 91.4 cm

**Ice/Bev
Ice Machines**



IBF0620
W 22" D 14" H 24"
W 55.9 D 35.6 H 61.0 cm
IBF0820
W 22" D 14" H 26.5"
W 55.9 D 35.6 H 67.3 cm
IBT1020C
W 22" D 14" H 30.5"
W 55.9 D 35.6 H 77.5 cm


Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT1200C-161	Dice	Remote	115v/60Hz/1	171 lbs / 78 kg	\$10,172	ID1176C-161
IDF1400C-161	Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	\$11,573	ID1472C-161
IDF1800C-161	Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$14,515	ID1872C-161
IDF2100C-161	Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$14,702	ID2176C-161
SDF3000C-161	Dice	Remote	115v/60Hz/1	423 lbs / 192 kg	\$27,356	SD3072C-161
IYF0600C-161	1/2 Dice	Remote	115v/60Hz/1	146 lbs / 66 kg	\$7,532 ★	IY0686C-161
IYF0900C-161	1/2 Dice	Remote	115v/60Hz/1	161 lbs / 73 kg	\$9,144 ★	IY0976C-161
IYF0900C-161X	1/2 Dice	Remote	115v/60Hz/1	166 lbs / 75 kg	\$9,802	IY0976C-161X
IYT1200C-161	1/2 Dice	Remote	115v/60Hz/1	174 lbs / 79 kg	\$10,172	IY1176C-161
IYF1400C-161	1/2 Dice	Remote	115v/60Hz/1	179 lbs / 81 kg	\$11,573	IY1474C-161
IYF1400C-161X	1/2 Dice	Remote	115v/60Hz/1	184 lbs / 83 kg	\$12,231	IY1474C-161X
IYF1800C-161	1/2 Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$14,515	IY1874C-161
IYF1800C-161X	1/2 Dice	Remote	115v/60Hz/1	215 lbs / 98 kg	\$15,173	IY1874C-161X
IYF2100C-161	1/2 Dice	Remote	115v/60Hz/1	210 lbs / 95 kg	\$14,702	IY2176C-161
IYF2100C-161X	1/2 Dice	Remote	115v/60Hz/1	215 lbs / 98 kg	\$15,360	IY2176C-161X
SYF3000C-161	1/2 Dice	Remote	115v/60Hz/1	423 lbs / 192 kg	\$27,356	SY3074C-161
IBF0620C-161	1/2 Dice	Remote	115v/60Hz/1	122 lbs / 55 kg	\$8,329	IB0696YC-161
IBF0820C-161	1/2 Dice	Remote	115v/60Hz/1	130 lbs / 59 kg	\$9,934 ★	IB0894YC-161
IBT1020C-161	1/2 Dice	Remote	115v/60Hz/1	148 lbs / 67 kg	\$10,492	IB1094YC-161
IYF0600C-251	1/2 Dice	Remote	230v/50hz/1	146 lbs / 66 kg	\$7,592	IY0686C-251
IYF0900C-251	1/2 Dice	Remote	230v/50hz/1	161 lbs / 73 kg	\$9,369	IY0976C-251
IYF1800C-251	1/2 Dice	Remote	230v/50hz/1	210 lbs / 95 kg	\$14,740	IY1874C-251
IBF0820C-251	1/2 Dice	Remote	230v/50hz/1	130 lbs / 59 kg	\$10,159	IB0894YC-251

If factory installed LuminIce II not offered, use aftermarket kit found on page 24.
Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating.

QUIETQUBE ICE MACHINES


Model	70/50°F	90/70°F	Model	70/50°F	90/70°F
IDT1200C	1,140 lbs / 519 kg	975 lbs / 442 kg	IYF1400C	1,425 lbs / 646 kg	1,230 lbs / 558 kg
ID1400C	1,350 lbs / 612 kg	1,120 lbs / 508 kg	IYF1800C	1,660 lbs / 753 kg	1,446 lbs / 653 kg
IDF1800C	1,660 lbs / 573 kg	1,375 lbs / 624 kg	IYF2100C	1,811 lbs / 821 kg	1,600 lbs / 726 kg
IDF2100C	1,800 lbs / 816 kg	1,625 lbs / 737 kg	SYF3000C	2,910 lbs / 1,320 kg	2,400 lbs / 1,089 kg
SDF3000C	2,850 lbs / 1,293 kg	2,233 lbs / 1,013 kg	IBF0620C	675 lbs / 306 kg	564 lbs / 256 kg
IYF0600C	600 lbs / 272 kg	530 lbs / 240 kg	IBF0820C	825 lbs / 374 kg	728 lbs / 330 kg
IYF0900C	816 lbs / 370 kg	675 lbs / 306 kg	IBT1020C	1,206 lbs / 547 kg	1,030 lbs / 467 kg
IYT1200C	1,215 lbs / 551 kg	1,000 lbs / 454 kg			

Ice deflector K00383 required for two iF1400C, iF1800C, iF2100C units side by side. Single iF1400C, iF1800C, iF2100C, iF0600C, iF0900C, iT1200C require ice deflector K00347 for F-Style or non-Manitowoc bins. SF3000C requires ice deflector K00391 for F-Style or non-Manitowoc bins.




NOTE: Manitowoc remote systems are only approved and warranted as a complete new package. Replacing an ice machine with an Indigo remote model requires a NEW condenser and line set. Only Manitowoc ICVD condensing units are approved with QQ and IB Series machines.

¹Appropriate adapter is required with ice dispensers or storage bin. For Quiet Qube machines other than IB machines, an optional K00446 bin dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. IB ice machines come equipped from the factory with a built in bin dispenser thermostat.



CVDF0600, CDVF0900, CVDT1200, CVDF1400, CVDF1800, RCU1000, RCUF1200, RCUF2200
 W 34" D 24.13" H 25.75"
 W 86.4 D 61.3 H 65.4cm
***RJC1275**
 W 45.5" D 16.5" H 31"
 W 115.6 D 42 H 78.5 cm



**CVDF2100
CVDF3000**
 W 53" D 26" H 25.75"
 W 134.6 D 66 H 65.4 cm
***RJC2375**
 W 51.4 D 18.5" H 45.7"
 W 130.6 D 47 H 116 cm


Model	Cooling	Use With	Electrical	Shipping Weight	Suggested List Price	Replaces Model
CVDF0600-261A	Air	iF0600C, ibF0620C	208-230v/60hz/1	178 lbs / 81 kg	\$3,257	CVDF0600-261
CVDF0600-263A	Air	iF0600C, ibF0620C	208-230v/60hz/3	178 lbs / 81 kg	\$3,557	CVDF0600-263
CVDF0900-261A	Air	iF0900C, ibF0820C	208-230v/60hz/1	183 lbs / 83 kg	\$3,558	CVDF0900-261
CVDF0900-263A	Air	iF0900C, ibF0820C	208-230v/60hz/3	183 lbs / 83 kg	\$3,858	CVDF0900-263
CVDT1200-261A	Air	iT1200C, ibT1020C	208-230v/60hz/1	208 lbs / 94 kg	\$3,769	CVDT1200-261
CVDT1200-263A	Air	iT1200C, ibT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$4,069	CVDT1200-261
CVDT1200-263AQ	Air	iT1200C, ibT1020C	208-230v/60hz/3	208 lbs / 94 kg	\$4,369	CVDT1200-263Q
CVDF1400-261A	Air	iF1400C	208-230v/60hz/1	190 lbs / 86 kg	\$4,315	CVDF1400-261
CVDF1400-261AQ	Air	iF1400C	208-230v/60hz/1	190 lbs / 86 kg	\$4,615	CVDF1400-261Q
CVDF1400-263A	Air	iF1400C	208-230v/60hz/3	190 lbs / 86 kg	\$4,615	CVDF1400-263
CVDF1800-261A	Air	iF1800C	208-230v/60hz/1	195 lbs / 88 kg	\$5,146	ICVD1895-261
CVDF1800-263A	Air	iF1800C	208-230v/60hz/3	195 lbs / 88 kg	\$5,496	ICVD1895-263
CVDF2100-261	Air	iF2100C	208-230v/60hz/1	266 lbs / 121 kg	\$7,234	ICVD2096-261
CVDF2100-263	Air	iF2100C	208-230v/60hz/3	266 lbs / 121 kg	\$7,584	ICVD20963-263
CVDF3000-263	Air	sF3000C	208-230v/60hz/3	268 lbs / 122 kg	\$9,405	CVD30853-263
RCUF1200-261	Air	RFF1220C	208-230v/60hz/1	201 lbs / 91 kg	\$3,748	RCUF1200-261
RCUF1000-261A*	Air	RNF1020C	208-230v/60hz/1	201 lbs / 91 kg	\$3,748	RCUF1000-261
RCUF2200-263	Air	RFF2200C	208-230v/60hz/3	249 lbs / 113 kg	\$4,834	RCU23753-263
CVDF0600-251A	Air	iF0600C	230v/50hz/1	178 lbs / 81 kg	\$3,317	CVDF0600-251
CVDF0900-251A	Air	iF0900C, ibF0820C	230v/50hz/1	183 lbs / 83 kg	\$3,783	CVDF0900-251
CVDF1800-251A	Air	iF1800C	230v/50hz/1	195 lbs / 88 kg	\$5,371	ICVD1895-251
RJC1275-453	Air	RFS1278C	380-415/50hz/3	315 lbs / 143 kg	\$7,327	n/a
RJC2375-453	Air	RFS2378C	380-415/50hz/3	315 lbs / 143 kg	\$10,307	n/a

NOTE: Models with "Q" suffix are available with coated coils that provide extra corrosion protection in salt spray environments

QUIETQUBE® & IB REMOTE TUBING KITS & ACCESSORIES

Kit	Indigo-Series Remote Tubing Kits	Shipping Weight	Suggested List Price
RC21	20'/6.1m tubing length for CVDF0600, CDVF0900 CVDT1200 . Not Precharged	12lbs/5kg	\$302
RC31	30'/9.1m tubing length for CVDF0600, CDVF0900 CVDT1200 . Not Precharged	17lbs/8kg	\$435
RC51	50'/15.2m tubing length for CVDF0600, CDVF0900 CVDT1200 . Not Precharged	27lbs/12kg	\$736
RC20	20'/6.1m tubing length for CDVF-1400 and 1800 . Not Precharged	14lbs/6kg	\$335
RC30	30'/9.1m tubing length for CDVF-1400 and 1800 . Not Precharged	20 lbs / 9 kg	\$500
RC50	50'/15.2m tubing length for CDVF-1400 and 1800 . Not Precharged	31 lbs / 14kg	\$791
RC23	20'/6.1m tubing length for CVDF-2100 . Not Precharged	17 lbs/8kg	\$431
RC33	30'/9.1m tubing length for CVDF-2100 . Not Precharged	25lbs/11kg	\$747
RC53	50'/15.2m tubing length for CVDF-2100 . Not Precharged	39 lbs/ 18kg	\$1,213
K00166	"S" Trap kit for CVDF1400,1800,2100 and CDVF3000 condensing units with line set rise over 20'/6.1m		\$81
K00172	S-Trap kit for Indigo Series CVDF0600 and 0900 and CVDT1200 condensing units with lines set rise over 20'/6.1m		\$81
K00435	50'/12.7 meter communications wire for Indigo Quite Cube (included with all Indigo RC tubing kits).		\$123
Kit	Flake, Nugget, SF3000C Nugget Tubing Kits		
RC51	50'/15.2 m tubing length for RCUF and RJC condensing units. Not precharged.	27 lbs / 12 kg	\$736
RC24	20'/6.1 m Tubing length for CVDF3000	37 lbs / 17kg	\$633
RC34	30'/9.1 m Tubing length for CVDF3000	47 lbs / 21kg	\$923
RC54	50'/15.2 m Tubing length for CVDF3000	73 lbs / 33 kg	\$1,492
*IB ADAPTER FOR CORNELIUS DISPENSER: Ordered and shipped from Manitowoc Ice			
K00340	For 22"/55.9 cm wide Enduro 150 for McDonald's ABS unit	27 lbs / 12 kg	\$1,053
K00341	24.5"/62.2 cm Enduro 175	27 lbs / 12 kg	\$1,154
K00342	30"/76.2 cm Enduro 200/250	31 lbs / 14 kg	\$1,307
K00343	44"/111.8 cm Enduro 300	47 lbs / 21kg	\$1,559
IB ACCESSORY			
K00436	IBT1020C Back Enclosure Kit (for IB1094YC and IBT1020C only) Hides electrical and water lines for pleasing appearance.	12 lbs / 5kg	\$259

PRISON




Not Stackable

Note: For dimensions and performance see base model
 Prison models require more lead time than normal, please contact the factory.
 LuminIce II is available as an after-market kit. Please see page 24.

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT0450A-161P	Dice	Air	115v/60Hz/1	160 lbs / 73 kg	\$7,312	ID0452A-161P
IDT0450W-161P	Dice	Water	115v/60Hz/1	141 lbs / 64 kg	\$7,632	ID0453W-161P
IDT0620A-161P	Dice	Air	115v/60Hz/1	143 lbs / 65 kg	\$7,399	ID0522A-161P
IDT0620W-161P	Dice	Water	115v/60Hz/1	140 lbs / 63 kg	\$7,724	ID0523W-161P
IDT0750A-261P	Dice	Air	208-230v/60hz/1	194 lbs / 88 kg	\$8,891	IDF0600A-261P
IDT1200A-261P	Dice	Air	208-230v/60hz/1	232 lbs / 105 kg	\$11,983	ID1106A-261P
IDT1200W-261P	Dice	Water	208-230v/60hz/1	228 lbs / 103 kg	\$12,537	ID1106W-261P
IDT1500A-261AP	Dice	Air	208-230v/60hz/1	292 lbs /132 kg	\$13,987	IDT1500A-261P
IDT1500N-261P	Dice	Remote	208-230v/60hz/1	293 lbs / 133 kg	\$13,825	ID1496N-261P
IDT1900A-261P	Dice	Air	208-230v/60hz/1	317 lbs / 144 kg	\$16,724	ID1802A-261P
1DT1900N-261P	Dice	Remote	208-230v/60hz/1	324 lbs / 147 kg	\$16,579	ID1892N3-261P
IDT1900N-263P	Dice	Remote	208-230v/60hz/3	324 lbs / 147 kg	\$16,929	ID1892N3-263P

MARINE



Not Stackable

Note: For dimensions and performance see base model
 Marine models require more lead time than normal, please check with the factory.
 LuminIce II is available as an after-market kit. Please see page 24.

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDT0750W-261M	Dice	Water	208-230v/60hz/1	194 lbs / 88 kg	\$10,538	IDF0600W-261M
IDT0900W-261M	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$12,811	IDF0900W-261M
IDT1900W-261AM	Dice	Water	208-230v/60hz/1	334 lbs / 151 kg	\$18,660	IDT1900W-261M
IYT0900W-261M	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$12,811	IYF0900W-261M
IYF0900W-263M	1/2 Dice	Water	208-230v/60hz/3	218 lbs / 99 kg	\$13,011	IY0906W3-263M
IYT1900W-261AM	1/2 Dice	Water	208-230v/60hz/1	337 lbs / 153 kg	\$18,660	IYT1900W-261M
IYT1900W-263M	1/2 Dice	Water	208-230v/60hz/3	337 lbs / 153 kg	\$19,010	IY1805W3-263M

SPACE MAKER



Not Stackable

Note: For dimensions and performance see base model
 Marine models require more lead time than normal, please check with the factory.

IDF0900W-261V	dice	Water	208-230v/60hz/1	212 lb / 96kg	\$13,287	ID0906W-261V
IYF0900W-261V	1/2 dice	Water	208-230v/60hz/1	218 lb /99kg	\$13,287	IY0906W-261V
IDT0900W-261V	Dice	Water	208-230v/60hz/1	212 lbs / 96 kg	\$13,387	IDF0900W-261V
IYT0900W-261V	1/2 Dice	Water	208-230v/60hz/1	218 lbs / 99 kg	\$13,387	IYF0900W-261V
IDT1900W-261V	dice	Water	208-230v/60hz/1	334 lb /151kg	\$19,219	N.A.
IYT1900W-261V	1/2 dice	Water	208-230v/60hz/1	337 lb /153kg	\$19,219	N.A.



UFF0200A

W 19.7" D 26" H 37.5"
 W 50.0 D 66.0 H 95.3 cm
 *205 lbs / 93 kg daily at 70/50°F
 *151 lbs / 68 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UFF0200A-161	Flake	Air	115v/60hz/1	168 lbs / 76 kg	\$7,863★	RF0266A-161
RF0266AZ-251	Flake	Air	230v/50hz/1	168 lbs / 76 kg	\$7,923	n/a

Application Storage Capacity: 50 lbs/ 23kg. Cubic volume 1.7. Storage capacity is AHRI certified.
 Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft3
 Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with iAuCS® or LuminIce II.
 Price list performance rating is 60hz data.
 50 Hz Electric Connection: Add Z for Bare Lead cord.




UFF0350A

W 29" D 27" H 39.5"
 W 73.8 D 69.0 H 100.4 cm
 *350 lbs / 159 kg daily at 70/50°F
 273 lbs / 125 kg daily at 90/70°F

UFF0350A-161	Flake	Air	115v/60Hz/1	224 lbs / 102 kg	\$8,347	RF0385A-161
RF0385AZ-251	Flake	Air	230v/50hz/1	224 lbs / 102 kg	\$8,407	n/a

Application Ice Storage Capacity: 60 lbs/27 kg. Measured cubic volume 2.04 Storage Capacity is AHRI certified
 Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft3
 Includes 6 ft / 1.8 m power cord with NEMA 5-15P plug.
 Use cleaner (000000084) only with this model.
 Not compatible with iAuCS or LuminIce II.
 Price list performance rating is 60hz data.
 50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22" D 23.6" H 26"
 W 55.9 D 59.9 H 66.0 cm


*370 lbs / 168 kg daily at 70/50°F
 *287 lbs / 130 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
RFF0320A-161	Flake	Air	115v/60hz/1	174 lbs / 79 kg	\$7,485	RFS0300A-161
RFS0300AZ-251	Flake	Air	230v/50hz/1	174 lbs / 79 kg	\$7,545	n/a



Recommended Bins: D320 or D420 (See page 19).
 See pages 22-23 for required adapters.


Use cleaner (000000084) only with this model.
 Price list performance rating is 60hz data.
 Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord.



W 22" D 23.6" H 26"
 W 55.9 D 59.9 H 66.0 cm

*760 lbs / 345 kg daily at 70/50°F
 540 lbs / 245 kg daily at 90/70°F

RFF0620A-161	Flake	Air	115v/60Hz/1	230 lbs / 104 kg	\$8,841	RFS0650A-161
RFF0620A-261	Flake	Air	208-230v/60hz/1	230 lbs / 104 kg	\$8,916	RFS0650A-261
RFF0620W-161	Flake	Water	115v/60Hz/1	230 lbs / 104 kg	\$9,283	RFS0650W-161
RFF0620W-261	Flake	Water	208-230v/60hz/1	230 lbs / 104 kg	\$9,358	RFS0650W-261
RFS0650AZ-251	Flake	Air	230v/50hz/1	230 lbs / 104 kg	\$8,901	n/a
RFS0650WZ-251	Flake	Water	230v/50hz/1	230 lbs / 104 kg	\$9,343	n/a




Recommended Bins: D320 or D420 (see page 19).
 See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.
 Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord.

★ **ENERGY STAR® Qualified Model**


*Daily ice production based on air-cooled condenser model at air temperature/water temperature.

RFF1300 / RFS1200



W 30" D 23.6" H 27.4"
 W 76.2 D 59.9 H 70.0 cm
 *1287 lbs / 584 kg daily at 70/50°F
 *874 lbs / 396 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
RFF1300A-261	Flake	Air	208-230v/60hz/1	263 lbs / 119 kg	\$12,683	RFS1200A-261
RFF1300W-261	Flake	Water	208-230v/60hz/1	263 lbs / 119 kg	\$13,317	RFS1200W-261
RFS1200AZ-251	Flake	Air	230v/50hz/1	263 lbs / 119 kg	\$12,908	n/a
RFS1200WZ-251	Flake	Water	230v/50hz/1	263 lbs / 119 kg	\$13,542	n/a



Recommended Bins: D570, D970


See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce® II **Not Stackable**
 50 Hz Electric Connection: Add Z for Bare Lead cord.


RFF1220 / RFS1278



W 22" D 23.6" H 26"
 W 55.9 D 59.9 H 66.0 cm
 *1,152 lbs / 522 kg daily at 70/50°F
 *958 lbs / 434 kg daily at 90/70°F

RFF1220C-261	Flake	Remote	208-230v/60hz/1	186 lbs / 84 kg	\$11,186	RFS1278C-261
RFS1278C-251	Flake	Remote	230v/50hz/1	186 lbs / 84 kg	\$11,411	n/a

**Requires RCUF1200 (60hz) or RJC 1275 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)



Recommended Bins: D420, D970.


See pages 22-23 for required adapters.

Use cleaner (000000084) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**

RFF2500



W 36.77" D 26.92" H 27.56"
 W 93.4 D 68.4 H 70.0 cm
 *2419 lbs / 1097 kg daily at 70/50°F
 *1665 lbs / 755 kg daily at 90/70°F

RFF2500A-263	Flake	Air	208-230v/60hz/3	452 lbs / 205 kg	\$23,382	RF2300A-263
--------------	-------	-----	-----------------	------------------	----------	-------------



Recommended Bins: F1300, F1325, F1650, FC1350 (See page 19).


No additional adapter needed, use top provided with bin.

Use cleaner (000000084) only with this model.

Price list performance rating is 60hz data.

Not for use with SPA/SFA dispensers or iAuCS. **Not Stackable**


RFF2200C / RFS2378C



W 30" D 23.6" H 27.4"
 W 76.2 D 59.9 H 70.0 cm
 * 2169 lbs / 984 kg daily at 70/50°F
 1702 lbs / 772 kg daily at 90/70°F

RFF2200C-261	Flake	Remote	208-230v/60hz/1	279 lbs / 127 kg	\$19,473	RFS2378C-261
RFS2378C-251	Flake	Remote	230v/50hz/1	279 lbs / 127 kg	\$19,698	n/a

**Requires RCUF2200 (60hz) or RJC2375 (50hz) remote condensing unit and RC51 tubing kit. (see page 12)



Recommended Bins: D970, F1300, F1325, F1650, FC1350

See pages 22-23 for required adapters.



Use cleaner (000000084) only with this model.

Price list performance rating is 60hz data.

Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. **Not Stackable**

★ ENERGY STAR® Qualified Model

*Daily ice production based on air-cooled condenser model at air temperature/water temperature.



W 16.25" D 24" H 35"
W 41.3 D 61 H 106.7 cm
*315lbs/143 kg daily at 70/50°F
*222lbs/101 kg daily at 90/70°F

W 16.25" D 24" H 42"
W 41.3 D 61 H 106.7 cm
*315lbs/143 kg daily at 70/50°F
*222lbs/101 kg daily at 90/70°F


Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
CNF0201A-161L	Nugget	Air	115v/60Hz/1	184 lbs / 127 kg	\$8,271	RNS12A-161
CNF0201A-161	Nugget	Air	115v/60Hz/1	184 lbs / 127 kg	\$8,571	RNS12AT-161
CNF0202A-161L	Nugget	Air	115v/60Hz/1	198 lbs / 90 kg	\$9,998	RNS20A-161
CNF0202A-161	Nugget	Air	115v/60Hz/1	198 lbs / 90 kg	\$10,298	RNS20AT-161
CNF0201A-251L	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$8,331	RNS12A-251
CNF0201A-251	Nugget	Air	230v/50hz/1	184 lbs / 127 kg	\$8,631	RNS12AT-251
CNF0202A-251L	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$10,058	RNS20A-251
CNF0202A-251	Nugget	Air	230v/50hz/1	198 lbs / 90 kg	\$10,358	RNS20AT-251

Note Dispensing Type: "-161L" is lever activated and "-161" is sensor activated. 3 dispensing options: ice, water, and ice/water together. Bin capacity is 10lbs/4.5 kg for CNF0201 and 20lbs/9 kg for CNF0202. Legs sold separately, see kit K00345001 below. **Use cleaner (000000084) only with this model.** Not compatible with iAuCS. Price list performance rating is 60hz data.



W 22.2" D 29.2" H 36"
W 56.4 D 74.2 H 76.2 cm


Kit	Description	Electrical	Shipping Weight	Suggested List Price
K00345001	Leg kit (Adjustable: 4.5" – 6.5" / 11.43-16.5 cm)	—	3 lbs./1.3 kg	\$129
K00377	Kit to convert from lever activated to touchless sensing dispensing option	115/60/1	3 lbs./1.3 kg	\$433
K00453	CNF Stand	—	100 lbs./45.4 kg	\$1,004



UNF0200 W 19.69" D 25.98" H 33.17"
W 50 D 66 H 84.3 cm
*145lbs/66 kg daily at 70/50°F
*117lbs/53 kg daily at 90/70°F

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UNF0200A-161	Nugget	Air	115v/60Hz/1	157 lbs / 72kg	\$7,377★	RNS0244A-161
RNS0244AZ-251	Nugget	Air	230v/50hz/1	157 lbs / 72kg	\$7,437	n/a




Application ice storage capacity: 30 lbs / 14kg. Measured cubic volume 1.03. Storage capacity is AHRI certified. *Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft3*
Includes 6'/1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model. Not compatible with iAuCS, LuminIce II, or casters.
Price list performance rating is 60hz data. 50 Hz Electric Connection:
Add Z for Bare Lead cord.




UNF0300 W 29.06" D 27.17" H 39.52"
W 73.8 D 69 H 100.4 cm
*302lbs/137 kg daily at 70/50°
*248lbs/112 kg daily at 90/70°

UNF0300A-161	Nugget	Air	115v/60Hz/1	224 lbs / 102 kg	\$8,310	RNS0385A-161
RNS0385AZ-251	Nugget	Air	230v/50hz/1	224 lbs / 102 kg	\$8,370	n/a

Application storage capacity: 60 lbs / 27kg. Measured cubic volume 2.04. Storage capacity is AHRI certified. *Application storage capacity measured 90% of total volume in cu. ft x 22 lbs/ft3*
Includes 6'/1.8 m power cord with NEMA 5-15P plug.
Use cleaner (000000084) only with this model.
Not compatible with iAuCS, LuminIce II, or casters.
Price list performance rating is 60hz data.
50 Hz Electric Connection: Add Z for Bare Lead cord.

	Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model	
RNF0320 / RNS0308		RNF0320A-161	Nugget	Air	115v/60Hz/1	174 lbs / 79 kg	\$6,891	RNS0308A-161
		RNS0308AZ-251	Nugget	Air	230v/50hz/1	174 lbs / 79 kg	\$6,951	n/a
<p>Recommended Bins: D320 or D420 (see page 19) See page 22-23 for required adapters.</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit and ice level management kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not for use with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord.</p>								
RNF620/608/609		RNF620A-161	Nugget	Air	115v/60Hz/1	210 lbs / 95 kg	\$8,830	RNS0608A-161
		RNF620W-161	Nugget	Water	115v/60Hz/1	210 lbs / 95 kg	\$9,272	RNS0609W-161
		RNS0608A-251	Nugget	Air	230v/50hz/1	210 lbs / 95 kg	\$8,890	n/a
		RNS0609W-251	Nugget	Water	230v/50hz/1	210 lbs / 95 kg	\$9,332	n/a
<p>Recommended Bins: D420 or D570 (see page 19) D-570 will require an adapter, see pages 22-23</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit and ice level management kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord.</p>								
RNF1100 / RNF1020 / RNS1008		RNF1100A-261	Nugget	Air	208-230v/60hz/1	275 lbs / 125 kg	\$13,169	RNS1008A-261
		RNF1100W-261	Nugget	Water	208-230v/60hz/1	275 lbs / 125 kg	\$13,827	RNS1009W-261
		RNF1020C-161	Nugget	Remote	115v/60Hz/1	195 lbs / 88 kg	\$12,669	RNS1078C-161
		RNS1008AZ-251	Nugget	Remote	230v/50hz/1	275 lbs / 125 kg	\$13,394	N/A
<p>Recommended bins: D970, F700, F1300, F1325, F1650, FC1350 (see page 19) See page 22-23 for required adapters .</p> <p>**Requires RCUF1000 remote condensing unit and RCS1 tubing kit.</p> <p>Not Stackable. Use cleaner (000000084) only with this model. All dispenser manufacturers require a nugget ice adapter kit and ice level management kit. Contact dispenser manufacturer for the kit that fits your application.</p> <p>Not compatible with SPA/SFA dispensers, iAuCS, or LuminIce II. 50 Hz Electric Connection: Add Z for Bare Lead cord.</p>								

*Daily ice production based on air-cooled condenser model at designated air temperature/water temperature.


**ADA Compliant**

W 22" D 31.19" H* 54"
W 55.9 D 78.7 H* 137.2 cm

Model	Ice type	Electrical	Shipping Weight	Suggested List Price	Replaces Model
SPA160-161	120 lbs / 54 kg of storage	115v/60Hz/1	165 lbs / 75 kg	\$6,018	NA
SPA160-261	120 lbs / 54 kg of storage	208-230v/60Hz/1	165 lbs / 75 kg	\$6,093	NA
SFA191-161	120 lbs / 54 kg of storage	115v/60Hz/1	168 lbs / 76 kg	\$7,087	NA
SPA160-251	120 lbs / 54 kg of storage	230v/50/Hz/1	165 lbs / 75 kg	\$6,078	NA

Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (6 to 7.5 in / 15.2 to 19 cm) stainless steel legs included. Accepts single 22 in / 55.9 cm Dice or Half-Dice size ice machine (order separately). Indigo 22 in / 55.9 cm requires K0034800 baffle (included with dispenser). Requires separate electrical outlet from ice machine.

Note: SFA models include water valve
K00400 Cup Dispensing Chute kit, narrows the chute dispense to dispense into a cup rather than an ice bucket. (see page 22).

**ADA Compliant**

W 30" D 32" H* 60.5"
W 76.2 D 81.3 H* 153.7 cm

SPA310-161	180 lbs / 82 kg of storage	115v/60Hz/1	209 lbs / 95 kg	\$7,091	NA
SPA310-261	180 lbs / 82 kg of storage	208-230v/60Hz/1	209 lbs / 95 kg	\$7,166	NA
SFA291-161	180 lbs / 82 kg of storage	115v/60Hz/1	214 lbs / 97 kg	\$8,345	NA
SPA310-251	180 lbs / 82 kg of storage	230v/50/Hz/1	209 lbs / 95 kg	\$7,151	NA
SFA291-251	180 lbs / 82 kg of storage	230v/50/Hz/1	214 lbs / 97 kg	\$8,405	NA

Patented "Push for Ice" rocking chute dispense mechanism. Adjustable (6 to 7.5 in / 15.2 to 19 cm) stainless steel legs included. Accepts single 22 in / 55.9 cm (K00472 adapter required) or 30 in / 76.2 cm Dice or Half Dice size machines no larger than the i906. Indigo 30 in / 76.2 cm machines require the K00346 baffle (included with the dispenser). Requires separate electrical outlet from ice machine.

Note: SFA models include water valve
K00400 Cup Dispensing Chute kit, narrows the chute dispense to dispense ice into a cup rather than an ice bucket. (see page 22)

*Includes 6"/15.2 cm adjustable leg


ICE STORAGE BINS

D-STYLE




D320

W 22" D 34" H 38"
W 55.9 D 86.4 H 96.5 cm




D400

W 30" D 34" H 38"
W 76.2 D 86.4 H 96.5 cm




D420

W 22" D 34" H 50"
W 55.9 D 86.4 H 127.0 cm



D570

W 30" D 34" H 50"
W 76.2 D 86.4 H 127.0 cm



D970

W 48" D 34" H 50"
W 121.9 D 86.4 H 127.0 cm

Model	Application Capacity	2017 AHRI Storage Capacity lbs. / kg.	2018 AHRI Capacity Cu ft / Cu m	Shipping Weight	Suggested List Price	Replaces Model
D320	264 lbs / 119 kg	210/95	8.9 / .25	75 lbs / 34 kg	\$1,869	B320
D420	383 lbs / 173 kg	310/140	12.9 / .35	108 lbs / 49 kg	\$2,139	B420
D400	365 lbs / 165 kg	290/131	12.3 / .37	91 lbs / 41 kg	\$2,057	B400
D570	532 lbs / 241 kg	430/195	17.9 / .51	115 lbs / 52 kg	\$2,328	B570
D970	882 lbs / 400 kg	710/322	29.7 / .84	150 lbs / 68 kg	\$3,290	B970

One set of stainless steel legs included in bin price for D-Series bin.
Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in / 15.2 to 19.7 cm. For bin adapters and ice deflectors, please see page 23



Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft³.
2017 AHRI Storage capacity measured 80% of the total volume in cu. ft. x 30 lbs/ft³.
2018 AHRI Capacity is the total internal volume measured in cu. ft.

F-STYLE

Large Capacity




F700

W 30" D 31" H 58.5"
W 76.2 D 78.7† H 148.6 cm




F1300

W 48" D 31" H 63.5"
W 121.9 D 78.7† H 161.3 cm




F1325

W 60" D 31" H 54.5"
W 152.4 D 78.7† H 138.4 cm



F1650

W 60" D 31" H 63.5"
W 152.4 D 78.7† H 161.3 cm



FC1350

W 60" D 40" H 73.5"
W 152.4 D 101.6† H 186.7 cm

†Snout adds
8"/20.3 cm to
depth of ice bin.

Model	Application Capacity	2017 AHRI Storage Capacity lbs. / kg.	2018 AHRI Capacity Cu ft / Cu m	Shipping Weight	Suggested List Price	Replaces Model
F700	639 lbs / 290 kg	520/236	21.5 cu.ft/.61 Cu.M	195 lbs / 88 kg	\$5,473	n/a
F1300	1194 lbs / 542 kg	970/440	40.2 cu.ft/1.14 Cu.M	292 lbs / 132 kg	\$6,573	n/a
F1325	1238 lbs / 562 kg	1000/454	41.7 cu.ft/1.18 Cu.M	300 lbs / 136 kg	\$7,095	n/a
F1650	1494 lbs / 678 kg	1210/549	50.3 cu.ft/1.42 Cu.M	327 lbs / 148 kg	\$7,655	n/a
FC1350	1304 lbs / 591 kg	1050/476	43.9 cu.ft/1.24 Cu.M	700 lbs / 318 kg	\$19,605	n/a

One set of stainless steel legs included in bin price.
Height includes bin legs set at 6 in / 15.2 cm. Legs adjust from 6 to 7.5 in or 15.2 to 19.1 cm.
For bin adapters and ice deflectors, please see page 22.
For use with Manitowoc ice machines only.


Model	Accessory	Shipping Weight	Suggested List Price
K00412**	46.5" / 118.1 cm paddle for 31" / 78.7 cm deep F bins	5 lbs / 2 kg	\$194
K00414**	Shovel	10 lb / 5 kg	\$194
K00416	Totes Carrier, Set of 6	34 lb / 15 kg	\$1,215
K00418	Replacement Cart	75 lb / 34 kg	\$3,036
K00419**	58.5" / 148.6 cm Paddle (for FC-1350 Bin)	6 lb / 3 kg	\$194



Application Capacity - measured 90% of the total volume in cu. ft x 33 lbs/ft³.
2017 AHRI Storage capacity measured 80% of the total volume in cu. ft. x 30 lbs/ft³.
2018 AHRI Capacity is the total internal volume measured in cu. ft.

** Accessory Paddles and Shovels include storage bracket. K00414 Shovel includes hook.

Note: Application or Max capacity for ice storage bins varies by manufacturer. For realistic measurement of how much ice a bin will hold without manual intervention, use the AHRI Storage capacity. When AHRI measurement is not referenced, compare cubic ft, or volume for an accurate comparison of size.



W45 D47.5 H65 cm

UG20

22 kg daily at 21/10°C
16.6 kg daily at 32/21°C

UG30

31 kg daily at 21/10°C
25.3 kg daily at 32/21°C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UG020A-251	gourmet	air	230v/50/Hz/1	45 kg / 99 lbs	\$2,396	N/A
UG030A-251	gourmet	air	230v/50/Hz/1	45 kg / 99 lbs	\$2,474	N/A
UG020A-261	gourmet	air	208-230v/60Hz/1	45 kg / 99 lbs	\$2,396	N/A
UG030A-161	gourmet	air	115v/60Hz/1	45 kg / 99 lbs	\$2,474	N/A
UG030A-261	gourmet	air	208-230v/60Hz/1	45 kg / 99 lbs	\$2,474	N/A

Ice Storage Capacity 10 kg

50 Hz Electric Connection Options: Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug


60 Hz models offered in Z for Bare Lead.

60Hz 115v add B for grounded power cord. Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating

Use cleaner (000006036) only with this model.

Not for use with iAuCS cleaning system. Optional Leg Kit K00345001

Contact your local distributor for pricing.



W55 D55 H80 cm

UG40

45 kg daily at 21/10°C
36 kg daily at 32/21°C

UG50

55.3 kg daily at 21/10°C
43 kg daily at 32/21°C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UG040A-251	gourmet	air	230v/50/Hz/1	59 kg / 130 lbs	\$2,976	N/A
UG050A-251	gourmet	air	230v/50/Hz/1	60 kg / 132 lbs	\$3,087	N/A
UG040A-261	gourmet	air	208-230v/60Hz/1	59 kg / 130 lbs	\$2,976	N/A
UG050A-161	gourmet	air	115v/60Hz/1	60 kg / 132 lbs	\$3,087	N/A
UG050A-261	gourmet	air	208-230v/60Hz/1	60 kg / 132 lbs	\$3,087	N/A

Ice Storage Capacity 25 kg

50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug

60 Hz models offered in Z for Bare Lead.

60Hz 115v add B for grounded power cord


Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating.

Use cleaner (000006036) only with this model.

Not for use with iAuCS cleaning system.

Optional Leg Kit K00345001

Contact your local distributor for pricing.



W70 D60 H90cm

UG80

86.4 kg daily at 21°/10° C
67.5 kg daily at 32°/21° C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
UG080A-251	gourmet	air	230v/50/Hz/1	72 kg / 159 lbs	\$3,655	N/A
UG080A-261	gourmet	air	208-230v/60Hz/1	72 kg / 159 lbs	\$3,655	N/A

Ice Storage Capacity 44 kg

50 Hz Electric Connection Options : Add letter to end of model number – Z for Bare Lead, F for Schuko Plug, G for Blade Plug and I for Oblique Flat Blade Plug

60 Hz models offered in Z for Bare Lead.

Price list performance rating is 50hz data. Refer to individual 60hz spec sheets for 60hz performance rating.


Use cleaner (000006036) only with this model.

Not for use with iAuCS cleaning system.

Optional Leg Kit K00345001

Contact your local distributor for pricing.

Q210/Q270




Q210: W 66 D 67.3 H 97.8 cm
 *98 kg daily at 21/10°C
 *67 kg. daily at 32/21°C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
QYP0214A-251	1/2 dice	air	230v/50/Hz/1	72 kg / 159 lbs	\$5,871	N/A
QYP0274A-251	1/2 dice	air	230v/50/Hz/1	95 kg / 209 lbs	\$6,760	N/A

Ice storage capacity is 36 kg for the Q210 and 45.4 kg for the Q270.
 Includes 1.8 m power cord with NEMA 5-15P plug. Price list performance rating is 60hz data. Refer to individual 50hz spec sheets for 50hz performance rating. Not compatible with iAuCS.

R290 Propane Refrigerant
Q270: W 76.2 D 71.5 H 97.8 cm
 *127 kg daily at 21/10°C
 *93 kg. daily at 32/21°C


iP0320A / iP0500A



iP0320
 W 55.9 D 62.2 H 54.6 cm
 160 kg daily at 21/10 C
 107 Kg daily at 32/21 C

Model	Ice type	Cooling	Electrical	Shipping Weight	Suggested List Price	Replaces Model
IDP0320A-251*	dice	air	230v/50/Hz/1	62 kg / 137 lbs	\$6,925	N/A
IYP0320A-251	1/2 dice	air	230v/50/Hz/1	64 kg / 138 lbs	\$6,925	IYP0324A-251

R290 Propane Refrigerant



iP0500
 W 76.2 D 62.2 H 54.6
 220 kg daily at 21/10 C
 163 kg daily at 32/21 C

IDP0500A-251*	dice	air	230v/50/Hz/1	65 kg/ 144 lbs	\$7,585	N/A
IYP0500A-251	1/2 dice	air	230v/50/Hz/1	66 kg/ 146 lbs	\$7,585	IYP0504A-251

R290 Propane Refrigerant

INTERNATIONAL ONLY

*Daily ice production estimated based on 50 Hz, 1/2 dice air cooled condenser model at air temperature/ water temperature indicated. For actual, reference spec sheet.

BIN ADAPTERS & ICE DEFLECTOR KITS

BIN ADAPTERS

Kit	Adaption	Shipping Weight	Suggested List Price
K00195	Bin Adapter: for 22"/55.9cm IB series ice machine on a 22"/55.9cm B or D320 or B or D420 or a 22" S Dispenser	10 lb / 5 kg	\$356
K00196	Bin Adapter: for 22"/55.9cm IB series ice machine on a 30" /72.6cm B or D400 or B or D570 or a 30" S Dispenser	15 lb / 7kg	\$385
K00472	Bin Adapter: for 22"/55.9cm Indigo, Indigo NXT, RFF, RNF ice machine on 30"/72.6cm on a B or D400, 570 or 30" hotel dispenser. Not for IB.	8 lb / 4 kg	\$319
K00473	Bin Adapter: for 22"/55.9cm Indigo, Indigo NXT, RFF, RNF on a B or D970 . Not for IB.	35 lb /16 kg	\$535
K00371	Bin Adapter: for two, RFF1220C or RNF1020C on a B 970 or D970 (water cooled or Quite Cube only)	8 lb / 4kg	\$286
K00470	Bin Adapter: for 30"/72.6cm Indigo, Indigo NXT, RFF, RNF ice machine on a 48"/121.9cm B or D970 bin	34 lb/ 15kg	\$535
K00471	Front and center deflector for 30" dual ice machines: iF1400C, iF1800C and iF2100C on a 48" B or D970 bin. (MUST ALSO HAVE K00470) Before installation remove deflector in the B or D970 prior to installing.	13 lbs / 6 kg	\$319
K00422	Bin Adapter: for 30"/76.2 cm RFF2200 Flaker on a B970 or D-970 bin.	28lb / 13kg	\$504
K00382	Ice deflector required for: 30"/72.6 cm iF1400C, iF1800C and iF2100C on a Non-Manitowoc or F-style bin	8 lb / 4kg	\$197
K00383	Ice defectors required for: two 30"/72.6 cm iF1400C, iF1800C and iF2100C units side by side on a Non-Manitowoc or F-style bin	18 lb / 8 kg	\$329
K00347	Ice deflector : required for 30" / 76.2 cm Indigo, Indigo NXT ice machines with front facing evaporators on a non-Manitowoc or F-style bins.	5 lb /3 kg	\$195
K0034900	Ice deflector required for 48"/121.9 cm Indigo series machine on non -Manitowoc or F-style bins	10 lb / 5 kg	\$230
K00391	Ice defector set required for S3300 ice machine on non-Manitowoc or 48" / 121.9cm or 60" / 152.4 cm F-style bin	18 lb / 8 kg	\$639
K00404	Bin Adapter for 25.2" 64 cm RF Flake Ice Machine on a 30" /76.2 cm bin	10 lb / 5 kg	\$279
K00420	Filler Panel Kit allows 22"/55.9 cm RNF1020C to be placed on F-Style bins with 30"/76.2 cm opening (for use with adapter included with bin	5 lb /3 kg	\$200
K00421	Filler Panel kit allows two side by side 22" /55.9 cm RNF1020C to be placed on F-Style bins with 60"/152.4 cm opening	5 lb /3 kg	\$200
K302200	Bin adapter for 22"/55.9 cm RFF or RNF on F700 bin	40 lb /18 kg	\$950
K302500	Bin adapter for 25.2" /64cm RF flaker on F700 bin	40 lb /18 kg	\$950
K303000	Replacement bin adapter for 30" / 76.2 cm Indigo Series Cuber on F700 bin (included with bin)	45 lb / 20kg	\$1,021
K483048	Replacement bin adapter for 30" / 76.2 cm & 48"/121.9 cam Indigo Series Cuber on F1300 bin (included with bin)	45 lb / 20kg	\$1,020
K482500	Bin Adapter for 25.2" / 64cm RF Flaker on F1300 bin	45 lb / 20kg	\$886
K603048	Replacement bin adapter for 30' /76.2cm &48"/121.9cm Indigo Series Cuber on F1325 or F1650 bins (included with bin)	52 lb/24kg	\$1,181
K604800	Bin adapter for SF3000C &S3300 on on F1325 and F1650 bins	52 lb/24kg	\$1,334
K603030	Bin adapter for two 30"/76.cm Indigo Series Cuber units side by side on F1325 or F1650 bins (remote or water cooled only)	52 lb/24kg	\$1,181
K613048	Replacement bin adapter for 30"/76.2cm &48"/121.9 cam Indigo Series Cuber on a FC1350 bin (included with bin)	60 lb /27kg	\$1,602
K612500	Bin adapter for 25.2" /64cm RF Flaker on FC1350 bin	60 lb /27kg	\$1,602
K614800	Bin adapter for SF3000C or S3300 on FC1350 bin	60 lb /27kg	\$1,785
K613030	Bin adapter for two 30"/76.cm Indigo Series Cuber units side by side on FC1350 bins (remote or water cooled only)	60 lb /27kg	\$1,602

MISCELLANEOUS

Kit	Description	Shipping Weight	Suggested List Price
K00457	DISPENSER THERMOSTAT KIT - For use with S-Series. For use on Soda dispensers only. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating. Replaces K00364.	3 lbs / 1 kg	\$362
K00446	DISPENSER THERMOSTAT KIT - For use with Indigo Series only on Soda dispensers . An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lb / 2 kg	\$235
K00477	DISPENSER THERMOSTAT KIT - For use with Indigo NXT series only on soda dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	4 lbs / 2 kg	\$235
K00456	DISPENSER THERMOSTAT KIT – For use with Indigo Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$227
K00478	DISPENSER THERMOSTAT KIT – For use with Indigo NXT Series only on Freestyle beverage dispensers. An ice dispenser thermostat kit may be required for high humidity locations to reduce equipment sweating.	3 lbs / 1 kg	\$227
K00210	DISPENSER BAFFLE - required for 30" / 76.2 cm Q-Series Manitowoc ice machine on non-Manitowoc and Q-dispensers. (Q-dispensers include this adapter.)	3 lbs / 1 kg	\$79
K00346	DISPENSER BAFFLE - required for use with any Manitowoc 30" / 76.2 cm Indigo Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series dispenser, no need to order. NOT required for i1470, i1870 and i2170.	3 lbs / 1 kg	\$79
K0034800	DISPENSER BAFFLE - required for use with any Manitowoc 22" / 55.9 cm Indigo Series ice machine in a Soda dispensers application. Dispenser baffle is included with S-Series dispenser, no need to order.	3 lbs / 1 kg	\$86
K00395	S3000 BIN THERMOSTAT KIT - For use with S3000	3 lbs / 1 kg	\$524
K00400	CUP DISPENSING CHUTE KIT - Narrower Dispenser chute for cup dispensing applications on a hotel dispenser SPA or SFA..	3 lbs / 1 kg	\$106

BIN ADAPTERS & ICE DEFLECTOR KITS FOR CURRENT MODELS

BIN ADAPTERS & ICE DEFLECTORS

ICE MACHINE

	iT0420 ³ & iT0620 ³	i300 ⁴	iT0450 ⁴ & iT0500 ⁴	IF600N, IT750, IF900N & IT900	iT1200 ⁴	iT1500 ⁵ & iT1900 ⁵
D-320		N/A	N/A	N/A	N/A	N/A
D-400	K00472					N/A
D-420		N/A	N/A	N/A	N/A	N/A
D-570	K00472					N/A
D-970	K00473	K00470	K00470	K00470	K00470	
F-700⁸	N/A		K00347	K00347	K00347	N/A
F-1300⁸	N/A		K00347	K00347	K00347	K0034900
F-1325⁸ F-1650⁸	N/A		K00347	K00347	K00347	K0034900
FC-1350⁸	N/A		K00347	K00347	K00347	K0034900
SPA-160		N/A	N/A	N/A	N/A	N/A
SPA-310	K0034800 & K00472					N/A
Non-Manitowoc Dispensers	K0034800	K00346	K00346	K00346	K00346	N/A

BIN

ICE MACHINE

	IF0600C ⁴ , IF0900C ⁴ iT1200C ⁴	iF1400C ^{1,6} iF1800C ^{1,6} iF2100C ^{1,6}	IBF0620C IBF0820C & IBT1020C	RNF0320 RNF620 RNF1020C	RFF0320 RFF620 RFF1220C	RFF1300 RNF1100 RFF2200	RFF2500	S3000 ⁷ SF3000C ⁷
D-320	N/A	N/A	K00195			N/A	N/A	N/A
D-400		N/A	K00196	K00472	K00472		N/A	N/A
D-420	N/A	N/A	K00195			N/A	N/A	N/A
D-570		N/A	K00196	K00472	K00472		N/A	N/A
D-970	K00470	K00470 & K00471	N/A	K00473	K00473	K00470	N/A	N/A
F-700⁸	K00347		N/A	K302200	K302200			N/A
F-1300⁸	K00347		N/A	N/A	N/A			Not Required
F-1325⁸, F-1650⁸	K00347		N/A	K00421 & K603030	K00421 & K603030			K604800
FC-1350⁸	K00347		N/A	K00421 & K613030	K0421 & K613030			K614800
SPA-160	N/A	N/A	K00195	N/A	N/A	N/A	N/A	N/A
SPA-310		N/A	K00196	N/A	N/A	N/A	N/A	N/A
Non-Manitowoc Dispensers	K00346	N/A	N/A	N/A	N/A	N/A	N/A	N/A

BIN

1 K00382 ice deflector for I-1470C, I-1870C or I-2176C on F-Style and non-Manitowoc bins.

3 When putting two 22"/55.8 cm units on D-970 bin use K00371 – water-cooled or CVD remote only.

4 When installing 30"/76.2 cm Indigo single evaporator machine on F-Style and non-Manitowoc bins K00347 deflector is required.

5 When installing 48"/121.9 cm Indigo single evaporator machine on non-Manitowoc bin K0034900 deflector is required.

6 K00383 for use with two I-1470C, I-1870C, or I-2176C units side by side on 60"/152.4 cm F-Style Bins.

7 K00391 Ice Deflector Kit when installing S-3300 on bin application.

8 Adapter included for single head application unless otherwise noted. **Note: Shaded area indicates NOT a product application.**

Accessory prices are now included in the Standard Equipment Suggested Price List.

ACCESSORIES

iAuCS® AUTOMATIC CLEANING SYSTEM

Kit	Description	Shipping Weight	Suggested List Price
iAuCS-161 iAuCS-261	Automatic Cleaning System Accessory for all Indigo and Indigo NXT Series ice machines 300 to 2100 . Cannot be used with Indigo IB Series, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine but electrical is supplied from the machine. When ordering, indicate electrical requirements; 115 volt 60 Hz – iAuCS-161, and 230 volt 60 Hz – iAuCS-261.	11 lb / 5 kg	\$864
iBAuCS-161	Automatic Cleaning System Accessory for Indigo IB Series ice machines: IBF0620C, IBF0820C, IBT1020C . Cannot be used with Indigo Series ice machines 300 to 2100, S-Series, nugget, flake and undercounter units. This option is installed on the outside of the machine and works in conjunction with cleaner and sanitizer bottle numbers 000005162 or 000005164. Installed outside of machine. Electrical requirements 115 volt 60 Hz. Includes 10' power cord with NEMA 5-15P plug.	11 lb / 5 kg	\$864

Note: iAuCS Automatic Cleaning System cannot be used with flake and nugget ice machines.

LUMINICE® II GROWTH INHIBITOR

Kit	Description	Shipping Weight	Suggested List Price
K00450	Luminice II Growth Inhibitor kit for Indigo i300, (Indigo smalls & QQ)	5lbs/2.2kg	\$658
K00452	Luminice II Growth Inhibitor kit for NEO Undercounters U140 to U310	11lbs/5kg	\$658
K00464	Luminice II Growth Inhibitor kit for Indigo NXT models: iT420,iT620,iT450,iT500,IF0600, iF0900, iT1200 and QQ iF0600C, iF0900C, iT1200C (Indigo NXT iF0300 small &QQ)	5lbs/2.2kg	\$658
K00465	Luminice II Growth Inhibitor kit for Indigo NXT models: iT1500 & iT1900 and IBF0620C, IBF0820C, IBT1020C and iF1400C, iF1800C, iF2100C (Indigo NXT 48", IB's, Duals)	5lbs/22kg	\$658
K00474	Converts K00450 or K00451 to work with appropriate Indigo NXT model	.5 lbs/ .23kg	\$21
K00425	Replacement LuminIce bulb for Luminice first generation only (bulb with white end caps) Indigos built prior to July 1, 2015.	.5 lbs/ .23kg	\$110
K00454	Replacement LuminIce II bulb for Luminice II only (bulb with blue end caps) Indigos and Indigo NXT built after July 1, 2015	.5 lbs/ .23kg	\$110
K00455	Remote Luminice II external LED indicator- for Luminice II and Indigo only	.5 lbs/ .23kg	\$60

Selected models can be ordered from the factory with the kit already installed. (See model price pages) Other Indigo® models and all Neo® models can have the LuminIce II kit added after market. Parts (non "K" kits) must be ordered through distributors.

REPLACEMENT CLEANER / SANITIZER for Cubers Only

Kit	Description	Shipping Weight	Suggested List Price
000005162 000005164	Cleaner: 16 oz/ .47 liter bottle (sold in case of 12) Sanitizer: 16 oz/ .47 liter bottle (sold in case of 12) Non-Hazardous labeling for US shipments only	18 lb / 8 kg 15 lb / 7 kg	see parts price list
94-0580-3 94-0581-3	Refills for all iAuCS Systems Cleaner: 1 gallon / 1.89 liter container (sold in case of 4) Sanitizer: 1 gallon / 1.89 liter container (sold in case of 4) Hazardous labeling	45 lb / 20 kg 36 lb / 16 kg	see parts price list

Note: The cleaning and sanitizing fluids are the same chemistry for all iAuCS systems. The bottles used with the iAuCS-SI are custom to the machine and included with the original system. If bottle replacements are needed for iAuCS-SI, they are 9405543 and 9405443 available through Parts Dept. The gallon bottles can be used for refills on any system.

REPLACEMENT CLEANER / SANITIZER for SM-50, BG, Flake & Nugget

000006036	Metal-safe cleaner for SM-50, Sotto, and Flake & Nugget ice machines - 16 oz/ .47 liter bottles (sold in case of 12) - Hazardous labeling for international shipment	14 lb / 6 kg	see parts price list
000000084	Metal-safe cleaner for SM-50, Flake & Nugget ice machines- 16 oz. / .47 l bottles (sold in case of 12) Non-hazardous labeling for USA shipments only.	15 lbs / 7 kg	
000005164	Sanitizer: 16 oz/ .47 liter bottle (sold in case of 12) - hazardous labeling for international shipment	15 lb / 7 kg	



CleanAir™ Pack			
Kit	Description	Shipping Weight	Suggested List Price
K00206	6 ea. replacement packets, 1ea basket, 2 ea. thumb screws. For use in Q and S-Series ice machines only. Cannot be used with SF3000C, S3000, Indigo, nugget, flake, or undercounter ice machines.	1 lb / .5 kg	\$283



ARCTIC PURE® – WATER FILTER			
Model	Description	Shipping Weight	Suggested List Price
AR-PRE	Pre-filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. Use on all Manitowoc machines.	4 lb / 2 kg	\$342
AR-10000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	5 lb / 2 kg	\$475
AR-20000	Primary filter assembly includes head, shroud, hardware, mounting assembly, and one filter cartridge. See below for sizing guide.	5 lb / 2 kg	\$812
AR-40000	Primary filter assembly, includes head, shroud, hardware, mounting assembly, and two filter cartridges. See below for sizing guide.	11 lb / 5 kg	\$1,381
Note: AR-PRE, AR-10000 and AR-20000 sold in master packs of six. AR-40000 sold individually.			
Replacement Filter Cartridges			
K00374001	AR-2800 replacement (sold in case of 12). Used with SM-50.	11 lb / 5 kg	\$1,013
K00337	AR-PRE replacement (sold in case of 12)	11 lb / 5 kg	\$1,348
K00338	AR-10000 replacement (sold in case of 12)	11 lb / 5 kg	\$1,453
K00339	AR-20000/40000 replacement (sold in case of 6)	17 lb / 8 kg	\$948
K00344	Bin bracket for Arctic Pure water filter	5 lb / 2 kg	\$89

ACCESSORIES

SIZING GUIDE

Ice Machine	Model				Ice Machine	Model			
	AR-PRE	AR-10000	AR-20000	AR-40000		AR-PRE	AR-10000	AR-20000	AR-40000
U65	•	•							
U80	•	•			RNF320	•	•		
U140	•	•			RNF620	•	•		
U190	•	•			RNF1100	•		•	
U240	•	•			UNF200	•	•		
U310	•	•			UNF300	•	•		
iT0300	•	•			UFF200	•	•		
iT420	•	•			UFF350	•	•		
iT620	•	•			RFF320	•	•		
iT450	•	•			RFF620	•		•	
iT500	•	•			RFF1300	•		•	
iF600 ,iT0750	•	•			RFF1220C	•		•	
iF900, iT0900	•		•		RFF2500				•
iT1200	•			•	RFF2200C	•			•
iT1500	•			•					
iT1900	•			•					
iF1400C	•			•					
iF1800C	•			•					
iF2100C	•			•					
IBF620C	•	•							
IBF820C	•		•						
IBT1020C	•		•						
CNF201/202	•	•							

The S3000 is not compatible with existing filters.




CONVENIENT ICE BAGGER			
Kit	Description	Shipping Weight	Suggested List Price
K00146	Ice bagger assembly, includes bagger, B-Model bin adapter, and 250 bags and ties. Stainless steel finish.	25 lb / 11 kg	\$726
K00068	Replacement Bags/Ties Bag Kit - includes 1,000 bags (4 wickets of 250) and ties.	34 lb / 15 kg	\$416

ICE SCOOP			
Kit	Description	Shipping Weight	Suggested List Price
3302583	6 oz./18L clear scoop for QM and SM Series (each)	2 lb / 1 kg	see parts price list
040002930	22 oz./65L blue scoop (Used with Neo undercounter units.)	3 lb / 1 kg	
3302603	32 oz./95L white scoop (each) (Used for B170 and Q-Series undercounter units.)	3 lb / 1 kg	
3302593	82 oz./2.4L white scoop (each) (Used for ice bin D320 and up.)	5 lb / 2 kg	
000015595	5.3 lb / 2.4 kg capacity, NSF approved, blue ABS plastic with knuckle guard, works inside D-Bin or with optional K00461 External Scoop Holder	5.3 lb / 2.4 kg	
K00463	5.3/lbs/2.4kg capacity NSF approved aluminum with knuckle guard. Has limited lifetime guarantee. Works inside D-bins or with optional K00461 External scoop holder	11 / lb / 5 kg	\$139



EXTERNAL SCOOP HOLDER			
Kit	Description	Shipping Weight	Suggested List Price
K00461	Protects the ice scoop outside the bin. NFS versatile holder can be configured 7 ways on the bin or wall. Use with 000014199 scoop that comes with D-Bins, optional metal scoop 000013960 or aluminum scoop K00463	11 / lb / 5 kg	\$159
K00482	Hanger for F-bins to be used with the K00461 External scoop holder (to work on F-Bins, must be purchased with K00461)	5 lb / 2 kg	\$39



DRAIN PUMP			
Kit	Description	Shipping Weight	Suggested List Price
K00376	Drain Pump for SM50A. Used where gravity drain not available. 12 ft / 3.6 m rise and 100 ft / 30 m run maximum.	7 lb / 3 kg	\$607



LEGS & CASTERS			
Model	Description	Shipping Weight	Suggested List Price
K00063	2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM), and B170 bin. 4 ea. non-locking swivel.	2 lb / 1 kg	\$316
K00064	2.5" / 6.35 cm Casters. For use with NEO, Q-Series (not QM), and B170 bin. 2 ea. locking swivel and 2 ea. non-locking swivel.	2 lb / 1 kg	\$342
K00153	4.625" / 11.75 cm Adjustable Flange Foot - stainless steel (Use with Bins only)	5 lb / 2 kg	\$268
K00176	4" / 10.16 cm leg for UDE0065/80 - black painted	3 lb / 1 kg	\$143
K00215	UDE Series leveler legs, adjusts from .5"-1.25" / 1.27-3.175 cm - 1/2-13 thread	1 lb / 1 kg	\$70
K00137	6" / 15.24 cm Adjustable Flange Foot - stainless steel for S, B and D Series bins	6 lb / 3 kg	\$268
K00151	6" / 15.24 cm Adjustable Flange Foot- Gray painted for S bins and Neo under counters	5 lb / 2 kg	\$157
K00145	6" / 15.24 cm Adjustable Secured Flange Foot - stainless steel (Use with B-Bins only) includes latch bracket #6072421	6 lb / 3 kg	\$365
K00144	12" / 30.48 cm Adjustable Flange Foot - stainless steel. Can use with undercounter machines and B170 and B&D 400 Bin. Not for use with 22" / 52.9 cm unit, stacked units, dispensers, or the QM series.	8 lb / 4 kg	\$365
K00138	Adjustable Caster Legs, 7.625-8.625" / 19.4 - 21.9 cm - stainless steel. Not for use with 22" / 52.9 cm unit, or any stacked units, dispensers, QMs or RF flakers. 2-locking casters and 2 non-locking per set.	16 lb / 7 kg	\$751
K00350	6" / 15.24 cm Adjustable Legs - stainless steel standard on B&D Series bins.	5 lb / 2 kg	\$127
K00345001	Leg kit for SM50 & CNF201/202 series ice machines. Adjustable 4.5" to 6.4" / 11.43-16.51 cm.	3 lb / 1 kg	\$129
K00445	1.125" / 2.9 cm Non-adjustable foot. For use with NEO.	2 lb / 1 kg	\$71
K00462	Secure fastening kit, includes 6" / 15.24cm adjustable flanged foot, stainless steel with latching hardware. Use with D-Bins and Indigo units only	6 lb / 3 kg	\$454

Parts (non "K" kits) must be ordered through distributors.

About Manitowoc Ice Machines



AHRI Certified- Manitowoc Ice Machines and D-Bins are certified by The American Heating and Refrigeration Institute. (AHRI) This means the data we published is validated to be true based on ASHRAE standards. Our certified products are continually tested by an independent third party laboratory to validate our products perform to the ratings or specifications published. Rest assured, products that carry the AHRI label comply to their publish specification. (AHRI rates ice machine performance is rated at the 90 ambient temperature and 70 water temperature. Bin capacity rating is measured by the cubic volume of the interior of the bin.



ENERGY STAR - Manitowoc Ice is an avid supporter of the EPA's voluntary Energy Star program. We believe in making energy star approved ice machines are not only good for the environment but it makes good business sense. In fact, we have more energy star models than any other ice machine manufacture. Moreover, Manitowoc Ice has been recognized by the Energy Star program as a Sustained Excellence Partner, winning "Partner of the Year" for 10 consecutive years. Look for the * next to the price to indicate whether a model is Energy Star qualified, then check with your local dealer if it is rebate eligible.



Best in Class - Foodservice Equipment & Supplies (FE&S) magazine conducts an annual survey among its subscribing foodservice operators, dealers, and consultants asking them to evaluate ice machines in the categories of: quality, value, design, service and support, sales and support, inventory and availability. For 17 consecutive years Manitowoc Ice has been voted best in class. Don't take our word for it; take it from the people who know ice machines.



Kitchen Innovation Award 2019 - Indigo NXT, was awarded the 2019 Kitchen Innovation Award from the National Restaurant Association . This prestigious award recognizes Indigo NXT for its innovation, efficiencies and productivity.



Intelligent ice machine- Manitowoc Indigo NXT with its easyTouch display is the only ice machine that offers a touch display providing the user and service agent with vital information to facilitate the set up and operation of the equipment. The display provides 4 main statuses: Making Ice, Bin Full, Machine Off or Program Mode. All the asset information can be obtained with one touch of an icon. Set up reminders to clean, change the air and water filters can be programmed easily into the machine. You can program the machine NOT to make ice when the store is closed or during the hours of the day of higher energy costs. The self diagnostic feature stores vital information for the service agent to access, so when they arrive, they have a good idea of the problem. This makes servicing easier, reduces labor costs and reduces machine down time.



Easy to Clean- Manitowoc Indigo Machines are the easiest ice machines in the industry to clean. All the component parts that require a deep cleaning can be removed without the use of tools. This includes the water trough as well as the water pump. Selected components contain Alpha San- Antimicrobial compound molded into the plastic to reduce slime build up.



Energy Efficient- Having the most Energy Star models is a result of advance technologies that allow the Indigo ice machine to work efficiently. Innovations like Air Assist which accelerates the ice harvest process and the Acoustical Ice Sensing probe allows for reliable operation in challenging water conditions. Air Assist and Acoustical Ice sensing are patent technologies only found on Manitowoc Indigo machines.



LuminIce II Growth Inhibitor- Manitowoc Indigo NXT and Neo machines offer the LuminIce II Growth Inhibitor device that runs quietly 24/7 keeping your ice machine cleaner longer. Less frequent cleanings saves labor, reduces cost and machine downtime. The device is particularly effective in environments where yeast is in the air (sandwich shops, bakeries, pizzerias, micro-breweries) because the LuminIce II device uses a UV bulb to create active air that inhibits the growth of bacteria and yeast spores inside the machine. The device is mounted inside the machine, and is integrated with the Easy Read Display to create a reminder when to service the bulb.



Automatic Cleaning System – (iAUCS) - Manitowoc Ice automatic cleaning system is a perfect complement to the LuminIce II growth inhibitor. Using the easyTouch display on the Indigo NXT Ice machine, program the time interval to either clean or sanitize the food zone automatically. No manual intervention is required. This is especially effective in areas of hard water, where periodic cleaning of the evaporator will keep the evaporator free of lime scale build up. (Note, iAUCS will not eliminate the need to do a deep cleaning periodically) but will keep your machine running at peak efficiency and cleaner longer).

Scan the code below to locate a dealer, distributor or sales representative in your area.



www.manitowocice.com/Sales/Sales-Locators#Sales-Locator



COMPANY WITH
QUALITY SYSTEM
CERTIFIED BY DNV
= ISO 9001:2008 =



Welbilt offers fully-integrated kitchen systems and our products are backed by KitchenCare® aftermarket parts and service. Welbilt's portfolio of award-winning brands includes **Cleveland™**, **Convotherm®**, **Crem™**, **Delfield®**, **fitkitchen®**, **Frymaster®**, **Garland®**, **Kolpak®**, **Lincoln™**, **Manitowoc®**, **Merco®**, **Merrychef®** and **Multiplex®**.

Bringing innovation to the table | welbilt.com